



MANUFACTURERS OF FINE LOCKSETS & ARCHITECTURAL HARDWARE



Products Overview

For ease of navigation, this is a live PDF. Listings below are linked to their respective pages, and any page numbers referenced within the catalog's text or graphics will take you to those pages when clicked on. You can return to this contents page at any time by clicking on any catalog page number.

FINISHES		3
LATCHSETS		4-37
Modern Latch Stainless Stee	el Latchsets s Steel Latchsets cchsets cs nsets nsets	5-10 11-14 15 16-20 21-23 24-27 28-30 31-33 34-36
AUXILIARY DEADBOLTS Brass Auxiliar Stainless Stee	y Deadbolts el Auxiliary Deadbo	38-41 39-40 olts 41
MORTISE & DEADBOLT LOCKSETS		42-63
Lockset Option Modern Locks Stainless Stee Traditions Locksets ARC Locksets Prodigy Lock Classico Lock	sets el Locksets cksets s sets	43 44-50 51-53 54-57 58-59 60-62 63
OMNIA+		64-67
NARROW BACKSET LOCKSETS POCKET DOOR		68-71
HARDWARE MULTIPOINT		72-75
TRIM		76-80

. ,		
ENTRANCE HANDLESETS		82-85
HINGES		86-88
CREMONE BOLTS		89
PRODUCT DATA		90-116
Modern Latch	sets Product Data	91-93
Stainless Steel Product Data	/PVD Latchsets	94-95
Traditions Late	chsets Product Data	96
ARC Latchsets	s Product Data	97
Prodigy Latch	sets Product Data	98-99
Classico Latch	sets Product Data	100
Interior Mortis	e Locks Product Data	101
Mortise Deadle	ocks Product Data	102
Auxiliary Deac	lbolts Product Data	103
Mortise Locks	ets Product Data	104-106
Deadbolt Lock	ksets Product Data	107
OMNIA + 🗖 le	evel Product Data	108
Narrow Backs	et Locksets Product Data	109
Pocket Door H	lardware Product Data	110
Multipoint Trin	n Product Data	111-112
Entrance Hand	dlesets Product Data	113-114
Deadbolt Hand	dlesets Product Data	115
Hinges Produc	ct Data	116
COMPONENT		44= 44=
D 4 D T 0		117 110







Look for this red symbol throughout this catalog to find our new smart lock products powered by □ level



OMNIA Finishes



US3 POLISHED BRASS, LACQUERED



US26 POLISHED CHROME **PLATED**



BAS SIENA BRASS, LACQUERED



US3A **POLISHED** BRASS, UNLACQUERED



US26D SATIN CHROME **PLATED**



BPS VENETIAN NICKEL, LACQUERED



US4 SATIN BRASS, LACQUERED



US32 POLISHED STAINLESS STEEL



FLORENTINE BRASS, LACQUERED



US5 ANTIQUE BRASS, LACQUERED



US32D SATIN **STAINLESS** STEEL



ETR **ETRUSCAN** BRONZE, **LACQUERED**



US5A ANTIQUE BRONZE. UNLACQUERED



SB **SHADED** BRONZE, **LACQUERED**



PBL PVD **BLACK**



US10B BLACK, OIL-RUBBED, **LACQUERED**



TB TUSCAN BRONZE, **LACQUERED**



PDB PVD DARK BRONZE



US14 POLISHED NICKEL PLATED, LACQUERED



US15 SATIN NICKEL PLATED, **LACQUERED**

PLEASE CHECK **EACH PRODUCT** TO MAKE SURE A FINISH IS AVAILABLE FOR A PARTICULAR

DESIGN.



PSG PVD SATIN GOLD



PTT PVD **TITANIUM**

LATCHSETS

Stainless Steel or Solid Brass Trim



OMNIA's latchsets in this program are packaged complete with knobs or levers, specified roses, tubular latch, a metal spring loaded sub-rose, spindle, and all mounting hardware. An installation template is included. Lever latchsets are supplied with extra heavy duty latches.

Functions are passage, privacy, and single dummy. These latchsets are designed both for new installations and for replacement hardware on doors with a standard 21/8" bore. Backsets of 23/8" and 23/4" are available.


The designs range from traditional to contemporary to ornate in a selection of finishes to complement any design motif.









MODERN



		Function*	US26D	US10B US14 US15
6	36M	PA/PR	\$220	\$255
	2 ⁹ / ₁₆ " dia. rose (covers 2 ¹ / ₈ " hole)	SD	77	99
-	36S Shown	PA/PR	\$247	\$294
	2 ⁹ / ₁₆ " sq. rose (covers 2 ¹ / ₈ " hole)	SD	90	109
(2)	36M50**	PA/PR	\$220	\$255
0	2" dia. rose	SD	77	99
	36S50**	PA/PR	\$247	\$294
	2" sq. rose	SD	90	109



		Function*	US3 US26 US26D	US10B US14 US15
6	42M Shown 2 ⁹ / ₁₆ " dia. rose (covers 2 ¹ / ₈ " hole)	PA/PR SD	\$225 80	\$260 102
•	42S 2 ⁹ / ₁₆ " sq. rose (covers 2 ¹ / ₈ " hole)	PA/PR SD	\$252 94	\$306 123
0	42M50** 2" dia. rose	PA/PR SD	\$225 80	\$260 102
0	42\$50** 2" sq. rose	PA/PR SD	\$252 94	\$306 123



			US26D	US15
6	171M Shown 2 ⁹ / ₁₆ " dia. rose (covers 2 ¹ / ₈ " hole)	PA/PR SD	\$222 78	\$257 100
•	171S 2 ⁹ / ₁₆ " sq. rose (covers 2 ¹ / ₈ " hole)	PA/PR SD	\$249 92	\$296 110
0	171M50** 2" dia. rose	PA/PR SD	\$222 78	\$257 100
0	171S50** 2" sq. rose	PA/PR SD	\$249 92	\$296 110

Function*

US26

US10B US14



		Function*	US26 US26D	US10B US14 US15
0	198/60M <i>Shown</i> 2% 6" dia. rose (covers 2% hole)	PA/PR SD	\$253 96	\$288 114
•	198/60S 2 ⁹ / ₁₆ " sq. rose (covers 2 ¹ / ₈ " hole)	PA/PR SD	\$280 110	\$334 135
0	198/60M50** 2" dia. rose	PA/PR SD	\$253 96	\$288 114
0	198/60S50** 2" sq. rose	PA/PR SD	\$280 110	\$334 135

*PA = Passage PR = Privacy SD = Single Dummy

**This rose will not cover 21/8" hole.

Suggested retail prices effective February 1, 2023.


5




MODERN




		Function*	US26 US26D	US10B US15
0	226M <i>Shown</i> 2 %/16" dia. rose (covers 2 1/8" hole)	PA/PR SD	\$309 122	\$353 150
•	226S 2 ⁹ / ₁₆ " sq. rose (covers 2 ¹ / ₆ " hole)	PA/PR SD	\$336 142	\$392 166
0	226M50** 2" dia. rose	PA/PR SD	\$309 122	\$353 150
•	226S50** 2" sq. rose	PA/PR SD	\$336 142	\$392 166



		Function*	US26 US26D	US10B US15	
0	227M 2 ⁹ / ₁₆ " dia. rose (covers 2 ¹ / ₈ " hole)	PA/PR SD	\$281 108	\$328 137	
0	227S <i>Shown</i> 2 ⁹ / ₁₆ " sq. rose (covers 2 ½" hole)	PA/PR SD	\$307 128	\$367 153	
0	227M50** 2" dia. rose	PA/PR SD	\$281 108	\$328 137	
0	227S50** 2" sq. rose	PA/PR SD	\$307 128	\$367 153	



		Function*	US26 US26D	US10B US14 US15
6	237M Shown 29/16" dia. rose (covers 21/8" hole)	PA/PR SD	\$237 86	\$282 89
•	237\$ 2 %/16" sq. rose (covers 2 1/8" hole)	PA/PR SD	\$262 105	\$321 123
0	237M50** 2" dia. rose	PA/PR SD	\$237 86	\$282 89
•	237\$50** 2" sq. rose	PA/PR SD	\$262 105	\$321 123



			Function*	US26 US26D	US10B US14 US15
	0	281M <i>Shown</i> 2 %/16" dia. rose (covers 2 1/8" hole)	PA/PR SD	\$216 76	\$261 103
	•	281S 2 ⁹ / ₁₆ " sq. rose (covers 2 ¹ / ₈ " hole)	PA/PR SD	\$243 90	\$307 124
_	0	281M50** 2" dia. rose	PA/PR SD	\$216 76	\$261 103
-	0	281S50** 2" sq. rose	PA/PR SD	\$243 90	\$307 124

*PA = Passage PR = Privacy SD = Single Dummy


**This rose will not cover 21/8" hole.

Suggested retail prices effective February 1, 2023.


6




MODERN




		runction*	US26D	US15
6	364M <i>Shown</i> 2 % dia. rose	PA/PR SD	\$225 80	\$260 102
	(covers 21/8" hole)	OD .		102
	364S	PA/PR	\$252	\$306
	2 ⁹ / ₁₆ " sq. rose (covers 2 ¹ / ₈ " hole)	SD	94	123
(2)	364M50**	PA/PR	\$225	\$260
0	2" dia. rose	SD	80	102
	364S50**	PA/PR	\$252	\$306
	2" sq. rose	SD	94	123



	Function*	US3 US26 US26D	US10B US14 US15	
368M 2 ⁹ / ₁₆ " dia. rose (covers 2 ¹ / ₈ " hole)	PA/PR SD	\$230 82	\$265 105	
368S <i>Shown</i> 2 % 16" sq. rose	PA/PR SD	\$257 96	\$304 114	_
368M50** 2" dia. rose	PA/PR SD	\$230 82	\$265 105	-
368S50** 2" sq. rose	PA/PR SD	\$257 96	\$304 114	_
	2 % " dia. rose (covers 2 1/6" hole) 368S Shown 2 % " sq. rose (covers 2 1/6" hole) 368M50** 2 " dia. rose	368M PA/PR SD 368S Shown 29/16" sq. rose (covers 21/6" hole) 368S Shown SD 368M50** PA/PR SD 368S50** PA/PR	See See	368M PA/PR \$230 \$265



		Function*	US3A US4 US26 US26D	US10B US14 US15
0	369M 2 ⁹ / ₁₆ " dia. rose (covers 2 ¹ / ₈ " hole)	PA/PR SD	\$263 98	\$291 117
•	369S <i>Shown</i> 2 ⁹ / ₁₆ " sq. rose (covers 2 ¹ / ₈ " hole)	PA/PR SD	\$290 112	\$330 127
0	369M50** 2" dia. rose	PA/PR SD	\$263 98	\$291 117
•	369S50** 2" sq. rose	PA/PR SD	\$290 112	\$330 127



			Function*	US3A US4 US26 US26D	US10B US14 US15
	0	375M 2%6" dia. rose (covers 21%8" hole)	PA/PR SD	\$263 98	\$291 117
	0	375S 2 ⁹ / ₁₆ " sq. rose (covers 2 ¹ / ₈ " hole)	PA/PR SD	\$290 112	\$330 127
_	0	375M50** <i>Shown</i> 2" dia. rose	PA/PR SD	\$263 98	\$291 117
	•	375S50** 2" sq. rose	PA/PR SD	\$290 112	\$330 127


*PA = Passage PR = Privacy SD = Single Dummy

**This rose will not cover 21/8" hole.




US3A US4 US10B US14

MODERN




				US26 US26D	US15	
	0	381M 2 ⁹ /16" dia. rose (covers 2 ¹ / ₈ " hole)	PA/PR SD	\$263 98	\$291 117	
	•	381S 2 ⁹ / ₁₆ " sq. rose (covers 2 ¹ / ₈ " hole)	PA/PR SD	\$290 113	\$330 128	
	0	381M50** 2" dia. rose	PA/PR SD	\$263 98	\$291 117	
•	0	381\$50** <i>Shown</i> 2" sq. rose	PA/PR SD	\$290 113	\$330 128	


Function*



		Function*	US3 US26 US26D	US10B US14 US15
0	762M Shown 2 ⁹ / ₁₆ " dia. rose (covers 2½" hole)	PA/PR SD	\$235 85	\$270 108
0	762S 2 ⁹ / ₁₆ " sq. rose (covers 2 ½" hole)	PA/PR SD	\$262 99	\$316 129
0	762M50** 2" dia. rose	PA/PR SD	\$235 85	\$270 108
0	762S50** 2" sq. rose	PA/PR SD	\$262 99	\$316 129



		Function*	US3 US26 US26D	US10B US14 US15
6	890M Shown 29/16" dia. rose (covers 21/8" hole)	PA/PR SD	\$199 67	\$207 90
•	890S 2 ⁹ / ₁₆ " sq. rose (covers 2 ½" hole)	PA/PR SD	\$226 81	\$253 111
0	890M50** 2" dia. rose	PA/PR SD	\$199 67	\$207 90
0	890S50** 2" sq. rose	PA/PR SD	\$226 81	\$253 111



			Function*	US3 US26 US26D	US10B US14 US15
	0	892M <i>Shown</i> 2% 16" dia. rose (covers 21% hole)	PA/PR SD	\$204 69	\$240 93
	0	892S 2 ⁹ / ₁₆ " sq. rose (covers 2 ½" hole)	PA/PR SD	\$231 83	\$286 114
	0	892M50** 2" dia. rose	PA/PR SD	\$204 69	\$240 93
-	•	892\$50** 2" sq. rose	PA/PR SD	\$231 83	\$286 114

*PA = Passage PR = Privacy SD = Single Dummy


**This rose will not cover 21/8" hole.

Suggested retail prices effective February 1, 2023.


8




MODERN



		Function*	US26 US26D	US15
6	905M <i>Shown</i> 2 %/16" dia. rose (covers 2 1/8" hole)	PA/PR SD	\$242 88	\$253 93
•	905S 2 ⁹ / ₁₆ " sq. rose (covers 2 ½" hole)	PA/PR SD	\$269 102	\$299 114
0	905M50** 2" dia. rose	PA/PR SD	\$242 88	\$253 93
0	905\$50** 2" sq. rose	PA/PR SD	\$269 102	\$299 114



		Function*	US26 US26D	US10B US14 US15
6	914M 2 ⁹ / ₁₆ " dia. rose (covers 2 ½" hole)	PA/PR SD	\$285 110	\$328 136
•	914S <i>Shown</i> 2 %/16" sq. rose (covers 21/8" hole)	PA/PR SD	\$311 123	\$367 145
0	914M50** 2" dia. rose	PA/PR SD	\$285 110	\$328 136
0	914S50** 2" sq. rose	PA/PR SD	\$311 123	\$367 145



		Function*	US26 US26D	US15
0	915M Shown 2% dia. rose (covers 21/8" hole)	PA/PR SD	\$273 104	\$290 111
•	915S 2 ⁹ / ₁₆ " sq. rose (covers 2 ¹ / ₈ " hole)	PA/PR SD	\$300 118	\$336 132
0	915M50** 2" dia. rose	PA/PR SD	\$273 104	\$290 111
0	915S50** 2" sq. rose	PA/PR SD	\$300 118	\$336 132

Function*



	0	2°/16" dia. rose (covers 21/8" hole)	PA/PR SD	\$324 127	\$368 153	
	•	923S 2 ⁹ / ₁₆ " sq. rose (covers 2 ¹ / ₈ " hole)	PA/PR SD	\$350 143	\$406 166	
-	0	923M50** 2" dia. rose	PA/PR SD	\$324 127	\$368 153	
	0	923S50** 2" sq. rose	PA/PR SD	\$350 143	\$406 166	

*PA = Passage PR = Privacy SD = Single Dummy

**This rose will not cover 21/8" hole.

Suggested retail prices effective February 1, 2023.


US3A US4 US26 US26D

US10B US15 14-BN 4-10B









		Function*	US26 US26D	US10B US14 US15
6	943M 2 ⁹ / ₁₆ " dia. rose (covers 21/ ₈ " hole)	PA/PR SD	\$237 84	\$269 107
•	943S <i>Shown</i> 2 %/16" sq. rose (covers 2 1/8" hole)	PA/PR SD	\$260 98	\$315 128
0	943M50** 2" dia. rose	PA/PR SD	\$237 84	\$269 107
•	943S50** 2" sq. rose	PA/PR SD	\$260 98	\$315 128

MODERN Rose Options in Detail

All roses are concealed screw mounted and interlock onto a cassette.

21/8" Bore



M 677 Modern

2⁹/₁₆" Diameter 3/8" Projection

622 Square

29/16" Square ⁷/₁₆" Projection

982 Cassette for Pre-Drilled Doors

for 21/8" Bore



15/8" Bore



M50 477 Modern 50

2" Diameter 3/8" Projection



S50 477S Square 50

2" Square 3/8" Projection

981 **Small Format Cassette**


for 15/8" Bore




*PA = Passage PR = Privacy SD = Single Dummy

**This rose will not cover 21/8" hole.









14 The state of th	0	14 Shown 21/16" dia. rose (covers 21/8" hole)	Function* PA/PR SD	US32D \$237 98
	0	14S 2 ⁷ / ₁₆ " square rose (covers 2½" hole)	PA/PR SD	\$264 116
	0	14M52** 2" dia. rose	PA SD	\$237 98

**This rose will not cover 21/8" hole. To accomplish privacy function, use separate #6000, #6001, or #60001S bolt. See page 31.

*PA = Passage PR = Privacy SD = Single Dummy






0	15 Shown 21/16" dia. rose (covers 21/6" hole)	Function* PA/PR SD	\$254 106
0	15\$ 27/16" square rose (covers 21/8" hole)	PA/PR SD	\$281 124
0	15M52** 2" dia. rose	PA SD	\$254 106



0	18 Shown	Function*	US32D
	21/16" dia. rose	PA/PR	\$276
	(covers 21/16" hole)	SD	117
0	18S 2 ⁷ / ₁₆ " square rose (covers 2 ¹ / ₈ " hole)	PA/PR SD	\$303 141
0	18M52**	PA	\$276
	2" dia. rose	SD	117




0	19 Shown	Function*	US32D
	2½" dia. rose	PA/PR	\$298
	(covers 2½" hole)	SD	128
0	19S 2 ⁷ / ₁₆ " square rose (covers 2 ¹ / ₈ " hole)	PA/PR SD	\$325 146
0	19M52**	PA	\$298
	2" dia. rose	SD	128


22	77 _{8"}			Function*	US32D	PBL PDB PSG PTT	PVD Finishes Available:
-	51/4" 3/4"	0	22 2½6" dia. rose (covers 2½" hole)	PA/PR SD	\$167 62	\$219 81	PBL
		0	22\$ Shown 2½6" square rose (covers 2½" hole)	PA/PR SD	\$194 80	\$236 96	PDB
	The second second	0	22M52** 2" dia. rose	PA SD	\$167 62	N/A N/A	PTT


**This rose will not cover $2\frac{1}{8}$ " hole. To accomplish privacy function, use separate #6000, #6001, or #60001S bolt. See page 31.


***PA** = Passage PR = Privacy SD = Single Dummy













**This rose will not cover 21/8" hole. To accomplish privacy function, use separate #6000, #6001, or #60001S bolt. See page 31.

*PA = Passage PR = Privacy SD = Single Dummy









^{**}This rose will not cover 21/8" hole. To accomplish privacy function, use separate #6000, #6001, or #60001S bolt. See page 31.

STAINLESS STEEL Rose Options in Detail

21/8" Bore Larger roses are concealed screw mounted and interlock onto a cassette (see item #982 on page 10). 401 (PA) 402 (PR)

Modern

2⁷/₁₆" Diameter • ³/₈" Projection



401S(PA) **402S**(PR) Square

2⁷/₁₆" Square • ³/₈" Projection



Function* US32D

\$130

\$157

\$130

46

64

46

PA/PR

PA/PR

SD

SD

PA

SD

Roses thru bolt to each other at 11/2" spacing. Will not cover 21/8" hole.

099 M52 Modern 52

2" Diameter • 3/8" Projection

Suggested retail prices effective February 1, 2023.

*PA = Passage PR = Privacy SD = Single Dummy



PVD STAINLESS STEEL




















0	12 <i>Shown</i> 2 7/16" dia. rose	Function* PA/PR SD	PBL PDB PSG PTT \$179 64
0	12S 2 1/16" square rose	PA/PR SD	\$202 79



0	22 2 ¾ ₆ " dia. rose	Function* PA/PR SD	PBL PDB PSG PTT \$219 81
0	22S Shown	PA/PR	\$236
	2 7/16" square rose	SD	96



0	25 <i>Shown</i> 2 7/16" dia. rose	Function* PA/PR SD	PBL PDB PSG PTT \$277 106
0	25S 2 1/16" square rose	PA/PR SD	\$309 122



0	43 2 ½ε" dia. rose	PA/PR SD	\$271 106	
0	43S Shown 2 7/16" square rose	PA/PR SD	\$301 122	


All roses will cover a 21/8" hole.

*PA = Passage PR = Privacy SD = Single Dummy






	Function*	US3 US3A US26	US5A US10B US14 US15 SB
55/00 <i>Shown</i> 2 ⁵ / ₈ " dia. rose (covers 2 ¹ / ₈ " hole)	PA/PR SD	\$280 112	\$325 135
55/45** 1 ³ ⁄ ₄ " (45 mm) dia. rose	PA SD	\$263 116	\$283 125
55/55** 2³/₁₅" (55 mm) dia. rose	PA SD	\$263 116	\$283 125













		Function*	US3 US3A US26	US5A US10B US14 US15 SB
	430/00 <i>Shown</i> 25/8" dia. rose (covers 21/8" hole)	PA/PR SD	\$219 78	\$258 97
	430/45** 1 ³ ⁄ ₄ " (45 mm) dia. rose	PA SD	\$198 83	\$217 92
6	430/55** 2 ³ / ₁₆ " (55 mm) dia. rose	PA SD	\$198 83	\$217 92

**This rose will not cover 21/8" hole. To accomplish privacy function, use separate privacy bolt. See pages 32-33.

*PA = Passage PR = Privacy SD = Single Dummy







-		Function*	US3 US3A US26 US26D	US5A US10B US14 US15 SB
	432/00 <i>Shown</i> 2 ⁵ / ₈ " dia. rose (covers 2 ½" hole)	PA/PR SD	\$244 90	\$282 113
•	432/45** 1³⁄₄" (45 mm) dia. rose	PA SD	\$220 94	\$240 104
•	432/55** 2 ³ / ₁₆ " (55 mm) dia. rose	PA SD	\$220 94	\$240 104





~		Function*	US3 US3A US26 US26D	US5A US10B US14 US15 SB
0	442/00 <i>Shown</i> 2 ⁵ / ₈ " dia. rose (covers 21/ ₈ " hole)	PA/PR SD	\$224 81	\$263 103
0	442/45** 1 ³ ⁄ ₄ " (45 mm) dia. rose	PA SD	\$201 84	\$221 94
6	442/55** 2³/₁₅" (55 mm) dia. rose	PA SD	\$201 84	\$221 94



	2 ¹ / ₈ "
-2 ³ / ₈ "-	

		Function*	US3 US3A US26	US5A US10B US14 US15
6	443/00 <i>Shown</i> 2 ⁵ / ₈ " dia. rose (covers 2 ½" hole)	PA/PR SD	\$238 88	\$278 107
0	443/45** 1 ³ ⁄ ₄ " (45 mm) dia. rose	PA SD	\$218 93	\$237 102
0	443/55** 2³/16" (55 mm) dia. rose	PA SD	\$218 93	\$237 102



6		Function*	US3 US3A US26	US5A US10B US14 US15
6	472/00 <i>Shown</i> 2 ⁵ / ₈ " dia. rose (covers 2 ½" hole)	PA/PR SD	\$233 93	\$285 117
6	472/45** 1 ³ ⁄ ₄ " (45 mm) dia. rose	PA SD	\$225 97	\$247 107
(3)	472/55** 2³/₁₅" (55 mm) dia. rose	PA SD	\$225 97	\$247 107


**This rose will not cover 21/8" hole. To accomplish privacy function, use separate privacy bolt. See pages 32-33.


*PA = Passage PR = Privacy SD = Single Dummy






	6		Function*	US3 US3A US26	US5A US10B US14 US15
	6	473/00 25%" dia. rose (covers 21%" hole)	PA/PR SD	\$254 92	\$294 114
6	6	473/45** <i>Shown</i> 13/4" (45 mm) dia. rose	PA SD	\$230 96	\$251 113
6	6	473/55** 2 ³ / ₁₆ " (55 mm) dia. rose	PA SD	\$230 96	\$251 113







		Function*	US3 US3A US26	US5A US10B US14 US15 SB
	706/00 <i>Shown</i> 2 ⁵ / ₈ " dia. rose (covers 21/ ₈ " hole)	PA/PR SD	\$235 85	\$271 108
	706/45** 1 ³ ⁄ ₄ " (45 mm) dia. rose	PA SD	\$208 88	\$229 98
	706/55** 2³/₁₅" (55 mm) dia. rose	PA SD	\$208 88	\$229 98
P	706/RT** with rectangular rose	PA SD	\$221 95	\$247 108



		Function*	US3 US3A US26	US5A US10B US14 US15 SB
	752/00 <i>Shown</i> 25%" dia. rose (covers 21%" hole)	PA/PR SD	\$205 70	\$241 92
@	752/45** 1 ³ ⁄ ₄ " (45 mm) dia. rose	PA SD	\$178 73	\$198 83
	752/55** 2³/₁6" (55 mm) dia. rose	PA SD	\$178 73	\$198 83


**This rose will not cover 21/8" hole. To accomplish privacy function, use separate privacy bolt. See pages 32-33.

***PA** = Passage PR = Privacy SD = Single Dummy







		Function*	US3 US3A US26	US5A US10B US14 US15
	904/00 2 ⁵ / ₈ " dia. rose (covers 2 ¹ / ₈ " hole)	PA/PR SD	\$262 98	\$297 121
2_	904/45** 1 ³ ⁄ ₄ " (45 mm) dia. rose	PA SD	\$234 101	\$255 111
0	904/55** 2³/₁6" (55 mm) dia. rose	PA SD	\$234 101	\$255 111
B	904/RT**Shown with rectangular rose	PA SD	\$248 109	\$272 121



		Function*	US3 US3A US26	US5A US10B US14 US15
	918/00 <i>Shown</i> 25/8" dia. rose (covers 21/8" hole)	PA/PR SD	\$214 74	\$249 99
-	918/45** 1 ³ ⁄ ₄ " (45 mm) dia. rose	PA SD	\$187 81	\$207 87
-	918/55** 2³/₁₅" (55 mm) dia. rose	PA SD	\$187 81	\$207 87



	Function*	US3 US3A US26	US5A US10B US14 US15
944/00 2 ⁵ / ₈ " dia. rose (covers 21/ ₈ " hole)	PA/PR SD	\$264 99	\$301 123
944/45** <i>Shown</i> 13/4" (45 mm) dia. rose	PA SD	\$237 103	\$259 113
944/55** 2 ³ / ₁₆ " (55 mm) dia. rose	PA SD	\$237 103	\$259 113




		Function*	US3 US3A US26	US5A US10B US14 US15
	946/00 <i>Shown</i> 25/8" dia. rose (covers 21/8" hole)	PA/PR SD	\$270 102	\$306 121
	946/45** 1 ³ ⁄ ₄ " (45 mm) dia. rose	PA SD	\$245 110	\$265 116
<u></u>	946/55** 2³/₁₅" (55 mm) dia. rose	PA SD	\$245 110	\$265 116

**This rose will not cover 21/8" hole. To accomplish privacy function, use separate privacy bolt. See pages 32-33.

***PA** = Passage PR = Privacy SD = Single Dummy







TRADITIONS Rose Options in Detail

Surface Mounted Roses

Smaller roses are surface mounted and will NOT cover 21/8" bore.



592/45 **Traditional** 13/4" Diameter 3/8" Projection



592B/45 Beaded 13/4" Diameter 3/8" Projection



592/55 **Traditional** 23/16" Diameter 5/16" Projection



592B/55 Beaded 23/16" Diameter 5/16" Projection



836/00 Rectangular 2" h x 15/8" w 5/16" Projection

Traditions Rose Covers

(For pre-drilled 2 ½" hole)

Rose covers are concealed screw mounted and interlock onto a cassette (see item #982 on page 10).



037R Classical 25/8" Diameter 3/8" Projection



101R Octagonal 25/8" Diameter (27/8" Diagonal) 3/8" Projection



577 Beaded 25/8" Diameter 3/8" Projection



579 Roped 2⁵/₈" Diameter 1/2" Projection



671 **Traditional** 2⁵/₈" Diameter 3/8" Projection

ARC roses shown on page 23 can also be used with Traditions levers and knobs.

**This rose will not cover 21/8" hole. To accomplish privacy function, use separate privacy bolt. See pages 32-33.


*PA = Passage PR = Privacy SD = Single Dummy



ARC

508







508BD67 **Shown** 25/8" (67 mm) dia. rose

Function* US3 US3A US4 US5 US10B US14 US15 US26 PA/PR SD

\$296 146


508BD50** 2" (50 mm) dia. rose

PA/PR SD

\$296 146

511







511ML67 *Shown* 25%" (67 mm) dia. rose

PA/PR SD

US15 US26 \$296 146

Function* US3 US3A US4 US5 US10B US14

511ML50** 2" (50 mm) dia. rose


PA/PR SD

Function*

\$296 146

513







513ED67 25/8" (67 mm) dia. rose

US15 US26 \$296 146

513ED50** *Shown* 2" (50 mm) dia. rose

PA/PR SD

PA/PR


SD


\$296 146

US3 US3A US4 US5 US10B US14










748BD67 25/8" (67 mm) dia. rose

PA/PR \$296 SD 146



\$296 PA/PR 748BD50** Shown SD 146 2" (50 mm) dia. rose





751ML67 **Shown** 25/8" (67 mm) dia. rose

US5 US10B US14 US15 US26 PA/PR \$296 SD146




751ML50** 2" (50 mm) dia. rose

PA/PR SD

Function*

\$296 146

US3 US3A US4





753ED67 **Shown** 25/8" (67 mm) dia. rose

753ED50** 2" (50 mm) dia. rose

Function* US3 US3A US4 US5 US10B US14 US15 US26

PA/PR **\$296** SD146

PA/PR \$296 146

SD

*PA = Passage PR = Privacy SD = Single Dummy

**This rose will not cover 21/8" hole.



ARC

ARC Rose Options in Detail

Rose covers are concealed screw mounted and interlock onto a cassette (see items #981 and #982 on page 10).

21/8" Bore



BD67 618 Beaded 25/8" Diameter

1/2" Projection



ML67 641 Milled

25/8" Diameter ¹/₂" Projection



ED67 643 Edged 25/8" Diameter

1/2" Projection

15/8" Bore



BD50 538 **Beaded**

2" Diameter 3/8" Projection



ML50 541 Milled 2" Diameter

3/8" Projection



ED50 543 Edged 2" Diameter 3/8" Projection

Traditions roses shown on page 20 can also be used with ARC levers and knobs.





TIER 1

434





TD = Traditional Rose

434

434 28° Latch

(Option)

55° Latch (Standard)



MD = Modern Rose



AR = Arched Rose



RT = Rectangular Rose



SQ = Square Rose

Function*	US3 US3AT US4 US10B US14 US15 US26 TB
PA/PR	\$184
SD	90
PA/PR	\$204
SD	90





TD = Traditional Rose



MD = Modern Rose



AR = Arched Rose



RT = Rectangular Rose



SQ = Square Rose

	Function*	US3 US3A† US4 US10B US14 US15 US26 TB
458 55° Latch (Standard)	PA/PR SD	\$184 90
458 28° Latch (Option)	PA/PR SD	\$204 90

565





Shown with "TD" Rose in US26



TD = Traditional Rose



 $\mathbf{MD} = \mathbf{Modern} \ \mathbf{Rose}$



AR = Arched Rose



RT = Rectangular Rose




SQ = Square Rose

	Function*	US3 US3A† US4 US10B US14 US15 US26 TB
565 55° Latch (Standard)	PA/PR SD	\$184 90
565 28° Latch (Option)	PA/PR SD	\$204 90

Function*

PA/PR

SD







TD = Traditional Rose



MD = Modern Rose



AR = Arched Rose



RT = Rectangular Rose



 $\mathbf{SQ} = \mathbf{Square} \; \mathbf{Rose}$



785

28° Latch (Standard)

†US3A only available for TD rose.

Suggested retail prices effective February 1, 2023.

US3 US4 US10B US14 US15

US26 TB

\$184

90









TD = Traditional Rose



 $\mathbf{MD} = \mathbf{Modern} \ \mathbf{Rose}$



 $\boldsymbol{\mathsf{AR}} = \mathsf{Arched}\;\mathsf{Rose}$



RT = Rectangular Rose



SQ = Square Rose

US3 US4 US10B Function* US14 US15 US26 TB

895 28° Latch (Standard)

PA/PR SD

\$184 90



TIER 2





TD = Traditional Rose



MD = Modern Rose



AR = Arched Rose



RT = Rectangular Rose



 $\mathbf{SQ} = \text{Square Rose}$

Function*	US3 US4 US5 US10B US14 US15 US26
PA/PR	\$196

PA/PR 566 55° Latch (Standard) SD

566 28° Latch (Option)

PA/PR SD

\$216 95

US5

95

936





Shown with "MD" Rose in US15



TD = Traditional Rose



MD = Modern Rose



AR = Arched Rose



RT = Rectangular Rose



SQ = Square Rose

Function*		US4	
	US1	OB U	S14

US15 US26 PA/PR \$196 SD 95

936 28° Latch (Option)

955

55° Latch

(Standard)

936

55° Latch

(Standard)

PA/PR SD

\$216 95

95

955





Shown with "AR" Rose in US3

TD = Traditional Rose



MD = Modern Rose



AR = Arched Rose



RT = Rectangular Rose



 $\mathbf{SQ} = \text{Square Rose}$

US3 US3At US4 Function* US5 US10B US14 **US15 US26 TB**

PA/PR \$196 SD

955 PA/PR \$216 28° Latch SD 95 (Option)

*PA = Passage PR = Privacy SD = Single Dummy

†US3A only available for TD rose.











Shown with "SQ" Rose in US14

А	n			ъ.
40	ю	m:		
ш	ш	w	94	
м	н	mc.	ю	

TD = Traditional Rose



MD = Modern Rose



AR = Arched Rose



RT = Rectangular Rose




SQ = Square Rose

Function*	US3 US4 US5 US10B US14 US15 US26
PA/PR	\$196
SD	95
PA/PR	\$216
SD	95

TIER 3







MD = Modern Rose



AR = Arched Rose



RT = Rectangular Rose

Function*

US3 US4 US10B US14 US15 US26 US26D† TB

912 28° Latch (Standard)

956

956


55° Latch (Standard)


28° Latch

(Option)

PA/PR SD

\$208 102







TD = Traditional Rose



MD = Modern Rose



 $\mathbf{AR} = \mathsf{Arched} \; \mathsf{Rose}$



RT = Rectangular Rose



SQ = Square Rose


Function*

PA/PR

SD

US3 US4 US10B US14 US15 US26 US26D† TB

\$208 102



925


28° Latch (Standard)


*PA = Passage PR = Privacy SD = Single Dummy

†US26D only available for MD, RT & SQ roses.









odigy Rose Options in Detail

Rose covers are concealed screw mounted and interlock onto a cassette (see item #982 on page 10).



673 **Traditional**

25/8" Diameter 1/2" Projection



MD 679 Modern

25/8" Diameter 1/2" Projection



AR 674 **Arched**

25/8" W x 31/4" H 1/2" Projection



RT 675 Rectangular

25/8" W x 3" H 1/2" Projection



SQ 678 Square

25/8" Square 1/2" Projection

*PA = Passage PR = Privacy SD = Single Dummy

†US26D only available for MD, RT & SQ roses.

CLASSICO



59FL





X	了 2 ¹⁵ / ₁₆
L21/₀"-	

	runction*	D ETR	BP2
59FL	PA/PR	\$379	\$411
2 ¹ / ₁₆ " dia. rose (covers 2 ¹ / ₈ " hole)	SD	169	186

251FL



251FL 2%16" dia. rose (covers 21/8" hole)

ETR PA/PR \$377 \$407 SD 168

Function*

BAS

D

BPS

184

260FL



	Function*	D ETR	BPS
260FL 2%6" dia. rose (covers 2%" hole)	PA/PR SD	\$505 233	\$547 254

305RE




Function* BAS **BPS** D **ETR** PA/PR \$438 \$470 305RE 198 215 SD 27/8" dia. rose (covers 21/8" hole)

> **BAS** = Siena Brass, Lacquered **BPS** = Venetian Nickel, Lacquered **D** = Florentine Brass, Lacquered **ETR** = Etruscan Bronze, Lacquered

*PA = Passage PR = Privacy SD = Single Dummy



CLASSICO



Function* BAS **BPS**

ETR

309RE SD 27/8" dia. rose (covers 21/8" hole)

PA/PR \$387 \$420 173 198



Available for mortise lock only. **Contact OMNIA for pricing.**



Function* **BAS BPS** D **ETR**

332RE PA/PR \$434 \$493 SD 196 227 27/8" dia. rose (covers 21/8" hole)



Function* **BAS BPS** D **ETR**

340RE PA/PR \$406 \$437 2⁷/₈" dia. rose (covers 2¹/₈" hole) SD 183 198

> **BAS** = Siena Brass, Lacquered **BPS** = Venetian Nickel, Lacquered D = Florentine Brass, Lacquered ETR = Etruscan Bronze, Lacquered

*PA = Passage PR = Privacy SD = Single Dummy







Function*	BAS D ETRD	BPS
PA/PR	\$379	\$411
6D	160	105

BAS = Siena Brass, Lacquered BPS = Venetian Nickel, Lacquered D = Florentine Brass, Lacquered **ETR** = Etruscan Bronze, Lacquered

425FL 2%16" dia. rose (covers 21/8" hole)

CLASSICO Rose Options in Detail

Rose covers are concealed screw mounted and interlock onto a cassette (see item #982 on page 10).





29/16" Diameter 1/2" Projection



3265 Reeded

2⁷/₈" Diameter 1/2" Projection

Stainless Steel Privacy Bolts

6000







Privacy Bolt Set 6000/238

23/8" backset Projection: 11/2"

6000/234

Rose: 2" dia.

23/4" backset Projection: 1½" Rose: 2" dia. \$137

US32D

\$137

6001







Privacy Bolt Set

US32D \$137

6001/238 2 %" backset Projection: 11/2" Rose: 2" dia.

6001/234 23/4" backset Projection: 1½" Rose: 2" dia.

\$137

6001S







Privacy Bolt Set

US32D \$137

6001S/238 23/8" backset Projection: 11/2" Rose: 2" square

6001S/234 23/4" backset Projection: 1½" Rose: 2" square \$137

ANY TURNPIECE SHOWN UNDER PRIVACY BOLTS CAN ALSO BE USED AS THE TURNPIECE FOR MORTISE LOCKSET SECTIONAL TRIM.

Brass Privacy Bolts

103







Privacy Bolt Set	US3A US3 US26 US26D	US5A US10B US14 US15 SB
103/238	\$128	\$131

23/8" backset Projection: 13/8" Rose: 13/4" dia.

103/234 23/4" backset Projection: 13/8" Rose: 13/4" dia.

\$131

065







Privacy Bolt Set	US3A US3 US26	US5A US10B US14 US15 SB
065/238 23/6" backset Projection: 11/6" Rose: 23/16" x 13/6"	\$103	\$108

\$103

\$128

065/234 2¾" backset Projection: 11/8" Rose: 23/16" x 13/8"

Rose: 13/4" dia.

\$108

068







Privacy Bolt Set	US3	US10B US15 SE	
068/238 2¾" backset Projection: 1" Rose: 1¾" dia.	\$89	\$101	
068/234 2 ³ / ₄ " backset Projection: 1"	\$89	\$101	

102







Privacy Bolt Set	US3 US26 US26D	US10B US14 US15
102/238 2 %" backset Projection: 11/6" Rose: 1 3/4" dia.	\$128	\$1 31
102/234 2¾" backset Projection: 11/8" Rose: 13/4" dia.	\$128	\$131

102S







Privacy Bolt Set	US26 US26D	US10B US14 US15
102S/238 2%" backset Projection: 11/6" Rose: 17/6" square	\$141	\$145
102S/234 2¾" backset Projection: 11½" Rose: 1½6" square	\$141	\$145

ANY TURNPIECE SHOWN UNDER PRIVACY BOLTS CAN ALSO BE USED AS THE TURNPIECE FOR MORTISE LOCKSET SECTIONAL TRIM.

Brass Privacy Bolts

104







Privacy Bolt Set	US3	US15 SB
104/238 23/6" backset Projection: 11/6" Rose: 13/4" dia.	\$145	\$159
104/234 2 ³ / ₄ " backset Projection: 1 ¹ / ₈ " Rose: 1 ³ / ₄ " dia.	\$145	\$159

104CL CLASSICO







BAS BPS Privacy Bolt Set D ETR 104CL/238 \$181 23/8" backset Projection: 11/8" Rose: 2" dia. 104CL/234 \$181 2¾" backset Projection: 11/8"

Rose: 2" dia.

105







Privacy Bolt Set US3 SB \$145 \$149 105/238 23/8" backset Projection: 11/8" Rose: 13/4" dia. 105/234 \$149 \$145 2¾" backset Projection: 11/8" Rose: 13/4" dia.

9163







Privacy Bolt Set	US3 US3A US26	US5A US10B US14 US15
9163/238 2 %" backset Projection: 1" Rose: 19/16" x 11/8"	\$118	\$125
9163/234 2¾" backset Projection: 1" Rose: 19/16" x 11/8"	\$118	\$125

ANY TURNPIECE SHOWN UNDER PRIVACY BOLTS CAN ALSO BE USED AS THE TURNPIECE FOR MORTISE LOCKSET SECTIONAL TRIM.

INTERIOR MORTISE LOCKS

Solid Brass





Interior Mortise Locks

4036



	Function	US3 US26 US26D	US10B US14 US15
4036	Passage (PA)	\$490	\$520
Lever	Privacy (PR)	660	685
with Plates	Single Dummy (SD)	153	178



	Function	US3 US3A	US10E
		US5A	US14
		US26	US15
904ED50	Passage (PA)	\$422	\$457
Sectional	Privacy (PR)	492	527
Roses	Single Dummy (SD)	98	121





	FUNCTION	US26D	US10B US14 US15
914S50	Passage (PA)	\$471	\$527
Sectional	Privacy (PR)	571	627
Roses with Lever	Single Dummy (SD)	123	145


Suggested retail prices effective February 1, 2023.



Interior Mortise Locks









Mortise Deadlocks

041





Description	US3 US26 US26D	US10B US15 SB
041/N Standard Cyl. x T/P	\$317	\$326
041/NAC Double Cylinder	344	350

041M





Description	US3 US26 US26D	US10B US14 US15 US32D
041M/N Standard Cyl. x T/P	\$317	\$326
041M/NAC Double Cylinder	344	350

041MS





Description	US26 US26D	US10E US14 US15 US32E
041MS/N Standard Cyl. x T/P	\$352	\$364
041MS/NAC Double Cylinder	380	399

AUXILIARY DEADBOLTS

Solid Brass or Stainless Steel Trim



OMNIA's line of auxiliary deadbolt kits has many features which ensure a product of high security and style. The designs range from traditional to contemporary to ornate in a selection of finishes to coordinate with other OMNIA hardware offerings. Both the 1" deadbolt throw with sawproof inserts and the armored strike reinforcement with 3" wood screws provide optimal security.

The OMNIA COLDB, MODDB, TRADDB and D9000 Auxiliary Deadbolts are available as OMNIA + level smart locks. See page 65 for details.





Brass Auxiliary Deadbolts

ARCHDB





Description/Function Arched "A" 2³/₄" h x 2⁵/₈" w (covers 2¹/₈" hole)

US3 US4 US10B US14 US15 US26 TB \$184

COLDB





Description/Function Colonial "A"

21/2" dia. (covers 21/8" hole) US5 US5A US10B US14 US15 US26 SB TB

US3 US3A US4

\$184

\$569

L.COLDBA*

With Invisible Smart Technology



*Does not come in US5, SB, or TB finishes.

MODDB





Description/Function Modern "A" 2%" dia.

(covers 21/8" hole)

L.MODDBA* With Invisible Smart Technology

*Does not come in TB finish.



US3 US4 US10B US14 US15

US26 US26D

\$184

RECTDB





Description/Function Rectangular "A" 2%" square (covers 21/8" hole)

US3 US4 US10B US14 US15 US26 US26D TB

\$184



Brass Auxiliary Deadbolts

SQRDB





Description/Function Square "A" 25/8" square (covers 21/8" hole)

US3 US4 US10B US14 US15 US26 US26D \$184

TRADDB





Description/Function Traditional "A" 25/8" dia. (covers 21/8" hole)

US3 US4 US10B US14 US15

US26 TB \$184

\$569

L.TRADDBA* With Invisible Smart Technology



*Does not come in TB finish.

FLORDB





Description/Function Floral "A" 211/16" dia. (covers 21/8" hole)

LASSICO

BAS **BPS** D

\$355 \$368

ETR

REEDDB





Description/Function Reeded "A" 211/16" dia. (covers 21/8" hole)

LASSICO

BPS BAS D **ETR**

\$355 \$368



Stainless Steel Auxiliary Deadbolts

D9000





Description/Function

US32D

PBL PDB PSG PTT

D9000A

21/2" dia.

(covers 21/8" hole)

"A" - Cylinder x Thumbturn

\$251 \$339

D9000AC

21/2" dia.

(covers 21/8" hole) "AC"- Cylinder x Cylinder

\$258

L.D9000A

With Invisible Smart Technology \$651

\$781

SMART MODEL PAGE 65









D9000S





Description/Function

US32D

PBL PDB PSG PTT

D9000SA

25/16" square (covers 21/8" hole) "A" - Cylinder x Thumbturn \$310

\$406

D9000SAC

25/16" square

(covers 21/8" hole) "AC"- Cylinder x Ćylinder \$317









D9002





Description/Function

US32D \$251

\$258

D9002A

2" dia.

(will NOT cover 21/8" hole) "A"- Cylinder x Thumbturn

D9002AC

2" dia. (will NOT cover 21/8" hole) "AC" - Cylinder x Cylinder

MORTISE & DEADBOLT LOCKSETS


Solid Brass or Stainless Steel Trim

OMNIA's locksets with solid brass or stainless steel trim are the locks of choice for optimal security and stunning design. An extensive range of knob and lever styles are available with either mortise or tubular deadbolt lock options.

Built to withstand heavy use, our commercial grade, UL listed, fire rated, mortise locks are precision engineered for security and durability. Available with two backset options (21/2" and 2³/₄"), all of our mortise locks are designed for use with heavyweight knobs or levers, with special springing provided on lever sets.

OMNIA's line of deadbolt locksets provide the ease of installation, while maintaining the stylish look of a mortise lockset.

Unique to all OMNIA deadbolt locksets is the sleek, flush-mounted cylinder design which not only enhances their appearance but provides excellent protection against tampering with the cylinder mechanism. Available with two backset options $(2^{3}/8"$ and $2^{3}/4")$.



All OMNIA Deadbolt Locksets are available as OMNIA + level smart locks, except for items D24570, D25430, D25508 and D25748. See page 66.



Made in U.S.A.





Lockset Options







Mortise with Square Rose Trim








Latch by Deadbolt Plate Trim



Level Smart Lock, Latch by Deadbolt Plate Trim



Additional Mortise Rose Options

M53/53



5/16" Projection

M54/54





21/4" Diameter 5/16" Projection




Products in this section with this red symbol are available in our new smart lock technology powered by □ level.















































Lockset

with Plates

51/2" center to center

Lever

Suggested retail prices effective February 1, 2023.

456

14-BN

10B

4-10B

where BN and 10B are


the barrel finish colors

SEE SMART MODEL PRICING PAGE 66

423

Pair Dummy (PD)








STAINLESS STEEL











2012 Mortise Lockset Sectional Roses (Round) with Lever

US32D **Function** Standard (A) \$590 Double Cylinder (AC) 590 Panic – Proof (F) **590** Storeroom (EW) or Classroom (J) 590 Passage (N) 411 Privacy (L) 533 Pair Dummy (PD) 90 For Lever with Square Rose, add \$44.



D12012 Deadbolt Lockset Lever with Plates

US32D **Function** Standard (A) \$421 Pair Dummy (PD) 203

51/2" center to center

Function













12022
Mortise
Lockset
Lever with
Plates

PSG PTT \$876 Standard (A) \$649 Double Cylinder (AC) 649 876 Panic - Proof (F) 649 876 Storeroom (EW) or Classroom (J) 649 876 Passage (N) 528 792 Privacy (L) 561 825 Pair Dummy (PD) 229 319

US32D

PBL PDB

2022
N ortise
ockset
Sectional
Roses
Round)
vith Lever

Function US32D Standard (A) \$621 Double Cylinder (AC) 621 Panic – Proof (F) 621 Storeroom (EW) or Classroom (J) 621 Passage (N) 442 Privacy (L) 564 Pair Dummy (PD) 126

2022S Mortise Lockset Sectional Roses (Square)

with Lever

D12022

Deadbolt Lockset

with Plates

Lever

US32D **Function** Standard (A) \$649 Double Cylinder (AC) 649 Panic - Proof (F) 649 Storeroom (EW) or Classroom (J) 649 Passage (N) 461 582 Privacy (L) Pair Dummy (PD) 159

Function

Standard (A) Pair Dummy (PD)



51/2" center to center

Suggested retail prices effective February 1, 2023.

US32D

\$451

228

PSG

PDB

PBL



STAINLESS STEEL







Function	US32D
Standard (A)	\$696
Double Cylinder (AC)	696
Panic – Proof (F)	696
Storeroom (EW) or Classroom (J)	696
Passage (N)	575
Privacy (L)	608
Pair Dummy (PD)	280



2023 Mortise Lockset Sectional Roses (Round) with Lever

Function	US32D
Standard (A)	\$667
Double Cylinder (AC)	667
Panic – Proof (F)	667
Storeroom (EW) or Classroom (J)	667
Passage (N)	448
Privacy (L)	610
Pair Dummy (PD)	176
For Lever with Square Rose, add	\$44.



D12023

Deadbolt Lockset Lever with Plates

Function US32D Standard (A) \$495 Pair Dummy (PD) 280




51/2" center to center



PSG







Function	US32D	PBL PDB PSG PTT
Standard (A)	\$718	\$891
Double Cylinder (AC)	718	891
Panic – Proof (F)	718	891
Storeroom (EW) or Classroom (J)	718	891
Passage (N)	597	861
Privacy (L)	630	894
Pair Dummy (PD)	297	385



2025
Mortise
Lockset
Sectional
Roses
(Round)
with Lever

Function	US32D
Standard (A)	\$689
Double Cylinder (AC)	689
Panic – Proof (F)	689
Storeroom (EW) or Classroom (J)	689
Passage (N)	510
Privacy (L)	632
Pair Dummy (PD)	174



2025S
Mortise
Lockset
Sectional
Roses
(Square)
with Lever


Function	US32D
Standard (A)	\$718
Double Cylinder (AC)	718
Panic – Proof (F)	718
Storeroom (EW) or Classroom (J)	718
Passage (N)	527
Privacy (L)	651
Pair Dummy (PD)	207



D12025 Deadbolt Lockset Lever with Plates Standard (A) Pair Dummy (PD)

Function





Suggested retail prices effective February 1, 2023.

US32D \$515

297



STAINLESS STEEL





12032 Mortise Lockset Lever with **Plates**

US32D **Function** Standard (A) \$689 Double Cylinder (AC) 689 Panic - Proof (F) 689 Storeroom (EW) or Classroom (J) 689 Passage (N) 568 Privacy (L) 601 Pair Dummy (PD) 269



2032 Mortise Lockset Sectional Roses (Round) with Lever

US32D **Function** Standard (A) \$660 Double Cylinder (AC) 660 Panic - Proof (F) 660 Storeroom (EW) or Classroom (J) 660 Passage (N) 481 Privacy (L) 603 Pair Dummy (PD) 152 For Lever with Square Rose, add \$44.



D12032 Deadbolt Lockset Lever with Plates Standard (A) \$487 Pair Dummy (PD) SEE SMART MODE PRICING PAGE 66

US32D

269

US32D

\$718

718

718

718

597

630

297

US32D

\$689

689

689

689

510

632

180

US32D

\$515

297

PBL PDB

PSG PTT

\$891

891

891

891

861

894

385

51/2" center to center

Function

Function

Standard (A)

Double Cylinder (AC)

Panic - Proof (F)









12043 Mortise Lockset

Lever with **Plates**

2043 Mortise Lockset Sectional Roses (Round) with Lever Passage (N) Privacy (L) Pair Dummy (PD) **Function** Standard (A) Double Cylinder (AC) Panic - Proof (F) Storeroom (EW) or Classroom (J) Passage (N) Privacy (L)

For Lever with Square Rose, add \$44.

Storeroom (EW) or Classroom (J)

D12043 Deadbolt Lockset Lever

with Plates

Function Standard (A) Pair Dummy (PD)

Pair Dummy (PD)

51/2" center to center





IIC10D

US10B US14 US15

\$602

426

TRADITIONS







Function	US3 US3A US5A US26 SB	US10B US14 US15
Standard (A)	\$754	\$808
Double Cylinder (AC)	754	808
Panic – Proof (F)	754	808
Storeroom (EW) or Classroom (J)	754	808
Passage (N)	653	701
Privacy (L)	695	747
Pair Dummy (PD)	365	413



1055
Mortise
Lockset
Sectional
Roses
(Traditional)
with Lever

Eupotion

Function

runction	US26 SB	US14 US15
Standard (A)	\$689	\$732
Double Cylinder (AC)	689	732
Panic – Proof (F)	689	732
Storeroom (EW) or Classroom (J)	689	732
Passage (N)	550	583
Privacy (L)	618	659
Pair Dummy (PD)	224	270

HES HEST HEEV

US3 US3A US5A

US26 SB

\$542

379



D11055 Deadbolt Lockset Lever with Plates

Standard (A)
Pair Dummy (PD)

+ SEE SMART MODEL
PRICING PAGE 66

51/2" center to center



11432

10 5/8" Overall Length 2 3/8" Width 2 7/8" Projection



11432 Mortise Lockset Knob with Plates

US3 US3A US5A US10B **Function** US14 US15 US26 SB \$760 Standard (A) \$706 Double Cylinder (AC) 706 **760** Panic - Proof (F) 706 760 Storeroom (EW) or Classroom (J) 706 760 Passage (N) 605 653 Privacy (L) 647 699 Pair Dummy (PD) 317 365



)	1432 Mortise Lockset Sectional Roses (Traditional) with Knob
	with Knob

Function US3 US3A US5A US10B US26 SB US14 US15 \$641 Standard (A) \$684 Double Cylinder (AC) 641 684 Panic - Proof (F) 641 684 Storeroom (EW) or Classroom (J) 641 684 Passage (N) 502 535 Privacy (L) 570 611 Pair Dummy (PD) 180 226



D11432 Deadbolt Lockset Knob with Plates Standard (A) Pair Dummy (PD)

Function

+ SEE SMART MODEI PRICING PAGE 66

51/2" center to center

Suggested retail prices effective February 1, 2023.

US3 US3A US5A

US26 SB

\$494

331

US10B

US14 US15

\$554

378



TRADITIONS



11442

10 1/8" Overall Length 23/8" Width 21/2" Projection



11442 Mortise Lockset Knob with **Plates**

Function	US3 US3A US5A US26 US26D SB	US10B US14 US15
Standard (A)	\$692	\$740
Double Cylinder (AC)	692	740
Panic – Proof (F)	692	740
Storeroom (EW) or Classroom (J)	692	740
Passage (N)	591	633
Privacy (L)	633	679
Pair Dummy (PD)	303	345

US3 US3A US5A

US3 US3A US5A

US26 US26D SB

\$480

317

US10B

US10B

US14 US15

\$534

358

US10B

\$718

718

718

718

611

657

323

US10B **US14 US15**

\$642

642

642

642

493

542

184

US10B

US14 US15

\$512

336



1442 Mortise Lockset Sectional Roses (Traditional) with Knob

US26 US26D SB US14 US15 \$664 Standard (A) \$627 Double Cylinder (AC) 627 664 Panic - Proof (F) 627 664 Storeroom (EW) or Classroom (J) 627 664 Passage (N) 488 515 Privacy (L) 556 591 Pair Dummy (PD) 162 206



D11442 Deadbolt Lockset Knob with Plates

Standard (A) Pair Dummy (PD)

Function

Function

51/2" center to center





11752 Mortise Lockset Lever with **Plates**

Standard (A) Passage (N) Privacy (L)

Function US3 US3A US5A US26 SB **US14 US15** \$668 Double Cylinder (AC) 668 Panic - Proof (F) 668 Storeroom (EW) or Classroom (J) 668 **567** 609 Pair Dummy (PD) 279



1752 Mortise Lockset Sectional Roses (Traditional) with Lever

Function	US3 US3A US5A US26 SB
Standard (A)	\$603
Double Cylinder (AC)	603
Panic – Proof (F)	603
Storeroom (EW) or Classroom (J)	603
Passage (N)	464
Privacy (L)	532
Pair Dummy (PD)	140



D11752 Deadbolt Lockset Lever with Plates Standard (A) Pair Dummy (PD)

Function



51/2" center to center

Suggested retail prices effective February 1, 2023.

US3 US3A US5A

US26 SB

\$456

293



US10B

\$778

778

778

778

671

717

383

US10B

US10B

US14 US15

\$572

396

RADITIONS





11904 Mortise Lockset Lever with **Plates**

US3 US3A **Function** US5A US26 US14 US15 Standard (A) \$720 Double Cylinder (AC) 720 Panic - Proof (F) 720 Storeroom (EW) or Classroom (J) 720 Passage (N) 619 Privacy (L) 661 Pair Dummy (PD) 331



1904 Mortise Lockset Sectional Roses (Traditional) with Lever

Standard (A) Double Cylinder (AC) Panic - Proof (F) Storeroom (EW) or Classroom (J) Passage (N) Privacy (L) Pair Dummy (PD)

Function

US5A US26 US14 US15 \$655 \$702 655 702 655 702 655 702 516 553 584 629 196 304

US3 US3A

US3 US3A

US5A US26

\$508

345



D11904 Deadbolt Lockset Lever with Plates Standard (A) Pair Dummy (PD)

Function

SEE SMART MODEL PRICING PAGE 66

51/2" center to center






24570 Mortise Lockset Lever with **Plates**

Function US3 US3A US10B US5A US26 SB US14 US15 Standard (A) \$783 \$798 Double Cylinder (AC) 783 798 Panic - Proof (F) 783 798 Storeroom (EW) or Classroom (J) 783 798 Passage (N) 667 683 688 704 Privacy (L) Pair Dummy (PD) 343 391



1570 Mortise Lockset Sectional Roses (Traditional) with Lever

US3 US3A US10B **Function** US5A US26 SB **US14 US15** Standard (A) \$672 \$710 Double Cylinder (AC) 672 710 Panic - Proof (F) 710 672 Storeroom (EW) or Classroom (J) 672 710 Passage (N) **520** 542 Privacy (L) 588 637 Pair Dummy (PD) 190 240



Standard (A) D24570 Pair Dummy (PD) Deadbolt Lockset Lever

with Plates

Function

Only available with 35/8" center to center.

Suggested retail prices effective February 1, 2023.

US3 US3A

US5A US26 SB

\$573

357

US10B

US14 US15

\$580

\$404



TRADITIONS



25430

10 5/8" Overall Length 23/8" Width 23/4" Projection



25430
Mortise
Lockset
Knob with
Plates

Function	US3 US3A US26 SB	US10B US14 US15
Standard (A)	\$704	\$742
Double Cylinder (AC)	704	742
Panic – Proof (F)	704	742
Storeroom (EW) or Classroom (J)	704	742
Passage (N)	588	635
Privacy (L)	599	681
Pair Dummy (PD)	305	347



1430
Mortise
Lockset
Sectional
Roses
(Traditional)
with Knob

	Function	US3 US3A US26 SB	US10B US14 US15
	Standard (A)	\$651	\$666
	Double Cylinder (AC)	651	666
	Panic – Proof (F)	651	666
	Storeroom (EW) or Classroom (J)	651	666
	Passage (N)	494	517
١	Privacy (L)	578	593
'	Pair Dummy (PD)	200	232



D25430 Deadbolt Lockset Knob with Plates

Only available with 35/8" center to center.

Function	US3 US3A US26 SB	US10B US14 US15
Standard (A)	\$499	\$536
Pair Dummy (PD)	305	360



ARC



11513

10 %" Overall Length 2 %" Width 2 %" Projection



11513
Mortise
Lockset
Knob with
Plates

Function	US3 US3A US26	US4 US10B US14 US15
Standard (A)	\$764	\$820
Double Cylinder (AC)	764	820
Panic – Proof (F)	764	820
Storeroom (EW) or Classroom (J)	764	820
Passage (N)	663	713
Privacy (L)	705	759
Pair Dummy (PD)	375	425



1513
Mortise
Lockset
Sectional
Roses
(Traditional)
with Knob

	Function	US3 US3A US26	US4 US10B US14 US15
	Standard (A)	\$699	\$744
	Double Cylinder (AC)	699	744
	Panic – Proof (F)	699	744
	Storeroom (EW) or Classroom (J)	699	744
	Passage (N)	560	595
al)	Privacy (L)	628	671
,	Pair Dummy (PD)	292	292

US3 US3A

US26 \$552

389

US4 US10B US14 US15

\$614

438

US4 US10B US14 US15

US4 US10B US14 US15

\$708

\$578

402



D11513 Deadbolt Lockset Knob with Plates

Pair Dummy (PD)

Function

Standard (A)

51/2" center to center







Function	US3 US3A US26
Standard (A)	\$738
Double Cylinder (AC)	738
Panic – Proof (F)	738
Storeroom (EW) or Classroom (J)	738
Passage (N)	637
Privacy (L)	679
Pair Dummy (PD)	349

\$130	\$104
738	784
738	784
738	784
637	677
679	723
349	389

US3 US3A

US26 \$673

\$526

363



1753
Mortise
Lockset
Sectional
Roses
(Traditional)
with Lever

Standard (A)
Double Cylinder (AC)
Panic – Proof (F)
Storeroom (EW) or Classroom (J)
Passage (N)
Privacy (L)
Pair Dummy (PD)

Function

Function

US3 US3A US26	US4 US10B US14 US15
292	292
602	635
534	559
673	708
673	708
673	708
4010	Ψ100



D11753 Deadbolt Lockset Lever with Plates

Standard (A) Pair Dummy (PD)

51/2" center to center



ARC



25508

105/8" Overall Length 23/8" Width 23/8" Projection



25508 Mortise Lockset Knob with **Plates**

Function US3 US3A US10B **US26 US14 US15** Standard (A) \$764 \$820 Double Cylinder (AC) 764 820 Panic - Proof (F) 764 820 Storeroom (EW) or Classroom (J) 764 820 Passage (N) 663 713 705 Privacy (L) 759 Pair Dummy (PD) 425 375



1508 Standard (A) Double Cylinder (AC) Mortise Panic - Proof (F) Lockset Storeroom (EW) or Classroom (J) Sectional Passage (N) Roses Privacy (L) (Traditional) Pair Dummy (PD) with Knob

Function

Function

Function

US14 US15 US26 \$699 \$744 699 744 699 744 699 744 **560 595** 628 671 292 292

US10B

US10B **US14 US15**

\$614

438

US10B

US10B

US14 US15

\$708

US10B

US14 US15

\$578

402

US3 US3A

US3 US3A

US26

\$552

389

US3 US3A

US3 US3A

US26

\$673

US3 US3A

US26

\$526

363



Standard (A) D25508 Pair Dummy (PD) Deadbolt Lockset

Only available with 35/8" center to center.

Knob with Plates







25748 Mortise Lockset Lever with **Plates**

Standard (A) Double Cylinder (AC) Panic - Proof (F) Storeroom (EW) or Classroom (J) Passage (N) Privacy (L) Pair Dummy (PD)

US26 US14 US15 \$738 \$784 738 784 738 784 738 784 637 677 679 723 349 389



1748 Mortise Lockset Sectional Roses (Traditional) with Lever

Function Standard (A) Double Cylinder (AC) Panic - Proof (F) Storeroom (EW) or Classroom (J) Passage (N) Privacy (L) Pair Dummy (PD)

Function

Standard (A)

Pair Dummy (PD)

673	708
673	708
673	708
534	559
602	635
292	292



D25748 Deadbolt Lockset Lever

with Plates

Only available with 35/8" center to center.



US10B US14 US15



11895 Mortise Lockset Lever with **Plates**

Function	US3 US4 US26	US10B US14 US15
Standard (A)	\$670	\$710
Double Cylinder (AC)	670	710
Panic – Proof (F)	670	710
Storeroom (EW) or Classroom (J)	670	710
Passage (N)	569	603
Privacy (L)	611	649
Pair Dummy (PD)	281	315

1895 Mortise Lockset Sectional Roses (Round) with Lever

US3 US4 US26 US10B US14 US15 Function Standard (A) \$605 \$634 Double Cylinder (AC) Panic – Proof (F) 605 634 605 634 Storeroom (EW) or Classroom (J) 605 634 Passage (N) 466 485 Privacy (L) 534 561 Pair Dummy (PD) 180 180

D11895 Deadbolt Lockset Lever

Function Standard (A) Pair Dummy (PD)

\$504 \$458 295 328

US3 US4 US26

SEE SMART MODE PRICING PAGE 66

51/2" center to center

*	12912 10 %s" Overall Length 2 3/s" Width 3" Projection
•	

12912 Mortise Lockset Lever with Plates

Function US	3 US4 US26 US26D	US10B US14 US15
Standard (A)	\$688	\$728
Double Cylinder (AC)	688	728
Panic – Proof (F)	688	728
Storeroom (EW) or Classroom	(J) 688	728
Passage (N)	587	621
Privacy (L)	629	667
Pair Dummy (PD)	299	333

r

Function	US3 US4 US26 US26D	US10B US14 US15
Standard (A)	\$623	\$652
Double Cylinder (AC)	623	652
Panic – Proof (F)	623	652
Storeroom (EW) or Classroom	om (J) 623	652
Passage (N)	484	503
Privacy (L)	552	579
Pair Dummy (PD)	204	204

2912S
Mortise
Lockset
Sectional
Roses
(Square)
with Lever

Function U	S3 US4 US26 US26D	US10B US14 US15
Standard (A)	\$663	\$697
Double Cylinder (AC)	663	697
Panic – Proof (F)	663	697
Storeroom (EW) or Classroo	m (J) 663	697
Passage (N)	516	538
Privacy (L)	595	624
Pair Dummy (PD)	204	204

D12912

Deadbolt Lockset Lever with Plates

Function	US3 US4 US26 US26D	
Standard (A)	\$476	
Pair Dummy (PD)	313	

SEE SMART MODEL PRICING PAGE 66

51/2" center to center

Suggested retail prices effective February 1, 2023.

US10B US14 US15

\$522

346

US10B US14 US15

\$728 728 **728**

728


621

667

333







12925	
Mortise	
Lockset	
Lever with	
Diotoo	

Function	US3 US4 US26 US26D
Standard (A)	\$688
Double Cylinder (AC)	688
Panic – Proof (F)	688
Storeroom (EW) or Classr	room (J) 688
Passage (N)	587
Privacy (L)	629
Pair Dummy (PD)	299


	Function U	IS3 US4 US26 US26D	US10B US14 US15
2925	Standard (A)	\$623	\$652
Mortise	Double Cylinder (AC)	623	652
Lockset	Panic – Proof (F)	623	652
Sectional	Storeroom (EW) or Classroo	m (J) 623	652
Roses	Passage (N)	484	503
(Round)	Privacy (L)	552	579
with Lever	Pair Dummy (PD)	204	204

	Function U	JS3 US4 US26 US26D	US10B US14 US15
2925S	Standard (A)	\$663	\$697
Mortise	Double Cylinder (AC)	663	697
Lockset	Panic – Proof (F)	663	697
Sectional	Storeroom (EW) or Classroo	om (J) 663	697
Roses	Passage (N)	516	538
(Square)	Privacy (L)	595	624
with Lever	Pair Dummy (PD)	204	204

D12925 Deadbolt Lockset Lever with Plates

US10B US14 US15 Function US3 US4 US26 US26D Standard (A) \$476 \$522 Pair Dummy (PD) 313 346

51/2" center to center



	12930
	Mortise
	Lockset
_	Lever with
ر	Plates

Function US3 US4 US26 US26D **US10B US14 US15** Standard (A) \$688 \$728 Double Cylinder (AC) 688 728 Panic - Proof (F) 688 728 Storeroom (EW) or Classroom (J) 688 728 Passage (N) 587 621 Privacy (L) 629 667 Pair Dummy (PD) 299 333

	Function	US3 US4 US26 US26D	US10B US14 US15
	Standard (A)	\$623	\$652
е	Double Cylinder (AC)	623	652
et	Panic – Proof (F)	623	652
nal	Storeroom (EW) or Classroom	om (J) 623	652
	Passage (N)	484	503
1)	Privacy (L)	552	579
ever	Pair Dummy (PD)	204	204

	Francisco II	100 1104 11000 110000	110400 11044 11045
	Function U	IS3 US4 US26 US26D	US10B US14 US15
2930S	Standard (A)	\$663	\$697
Mortise	Double Cylinder (AC)	663	697
Lockset	Panic – Proof (F)	663	697
Sectional	Storeroom (EW) or Classroo	m (J) 663	697
Roses	Passage (N)	516	538
(Square)	Privacy (L)	595	624
with Lever	Pair Dummy (PD)	204	204

D12930 Deadbolt Lockset Lever

Function Standard (A) Pair Dummy (PD)

51/2" center to center

Suggested retail prices effective February 1, 2023.

US10B US14 US15

\$522

346

US3 US4 US26 US26D

\$476

313



US10B US14 US15

\$542

366





12935

109/16" Overall Length 23/8" Width 23/4" Projection



12935 Mortise Lockset Knob with **Plates**

US3 US4 US26 US26D US10B US14 US15 **Function** Standard (A) \$708 \$748 Double Cylinder (AC) 708 748 Panic - Proof (F) 748 708 Storeroom (EW) or Classroom (J) 708 748 641 Passage (N) 607 Privacy (L) 649 687 Pair Dummy (PD) 329 353



Function US3 US4 US26 US26D US10B US14 US15 Standard (A) \$643 \$672 2935 Double Cylinder (AC) 643 672 Mortise Panic - Proof (F) 643 672 Lockset Storeroom (EW) or Classroom (J) 643 672 Sectional Passage (N) 504 **523** Roses Privacy (L) 572 **599** (Round) Pair Dummy (PD) 204 204 with Knob



Function US3 US4 US26 US26D US10B US14 US15 2935S Standard (A) \$683 \$717 Double Cylinder (AC) 683 717 Mortise Lockset Panic – Proof (F) 683 717 Storeroom (EW) or Classroom (J) 683 717 Sectional Passage (N) Roses 536 558 (Square) Privacy (L) 615 644 Pair Dummy (PD) 204 204 with Knob

US3 US4 US26 US26D



D12935 Deadbolt Lockset Knob with Plates



51/2" center to center

Function



CLASSICO



53059 Mortise Lockset Knob with Plates

> 131/8" Overall Length 2 1/8" Width 2 1/8" Projection

Function	BAS	BPS
	D etr	
Standard (A)	\$1,155	\$1,207
Panic – Proof (F)	1,155	1,207
Passage (N)	994	1,042
Single Dummy (SD)	369	393

57251 Mortise Lockset Lever with Plates 14" Overall Length 3" Width 2 3/8" Projection **Function** BAS **BPS** D **ETR** Standard (A) \$1,155 \$1,207 1,155 Panic – Proof (F) 1,207 Passage (N) 994 1,042 Single Dummy (SD) 369 393

BAS = Siena Brass, Lacquered **BPS** = Venetian Nickel, Lacquered D = Florentine Brass, Lacquered ETR = Etruscan Bronze, Lacquered

OMNIA + level

The Beauty of OMNIA with Invisible Smart Technology

Powered by **D** level



In an industry first, OMNIA+level locks bring together iconic designs with the latest smart conveniences. You can now find the perfect lock for any home – without compromising style for smarts. Powered by the Bolt invisible smart lock, the OMNIA+level line brings all-new possibilities to some of our best selling locks.











OMNIA + □ level

Smart Auxiliary Deadbolts

Auxiliary deadbolts have an adjustable backset, only for 13/4" thick doors or thicker. All sets provided with US32D faceplate.

L.COLDBA



US3 US3A US4 US5A US10B US14 US15 US26 **Description/Function**

\$569

L.MODDBA



Description/Function L.MODDBA

L.COLDBA 21/2" dia. (covers 21/8" hole)

25/8" dia. (covers 21/8" hole) US3 US4 US10B US14 US15 US26 US26D

\$569

L.TRADDBA



Description/Function L.TRADDBA

25/8" dia. (covers 21/8" hole)

US3 US4 US10B US14 US15 US26

\$569

L.D9000A



Description/Function

L.D9000A 21/2" dia. (covers 21/8" hole) US32D

PBL PDB **PSG PTT**

\$651

\$781



OMNIA + □ level

Smart Deadbolt Locksets with Plates

All sets provided with US32D faceplate.

L.D11752



Description

US3 US5A US10B **US15 US26** \$847

L.D11752 51/2" Center to Center

10 5/8" Length x 2 3/8" Width x 2 5/8" Projection

L.D12012



Description L.D12012 51/2" Center to Center

10 9/16" Length x 2 1/2" Width x 3 " Projection

US32D

\$847

L.D12043



Description L.D12043 51/2" Center to Center

10 $^9\!/_{16}"$ Length x 2 $^1\!/_2"$ Width x 2 $^5\!/_8"$ Projection

US32D

\$847

L.D12935



Description

US3 US4 US10B US14 US15 US26 US26D \$847

5½" Center to Center 10 1 2 4 Ength x 2 3 Width x 2 3 Trojection

L.D12943



Description

US26 US26D \$847

L.D12943 51/2" Center to Center

10 9/16" Length x 2 3/8" Width x 25/8" Projection



OMNIA + □ level

Smart Entrance Handlesets

Only for 13/4" thick doors or thicker. All sets provided with US32D faceplate.



NARROW BACKSET LOCKSETS

Solid Brass Trim





Function	US3	SB
Standard (A) with rocker	\$1,139	\$1,183
Entry (B) without rocker	1,139	1,183
Double Cylinder (AC) with rocker	1,159	1,203
Double Cylinder (BAC) without rocker	1,159	1,203
Passage (N)	891	928
Privacy (L)	1,030	1,070
Pair Dummy (PD)	456	470



Function	US3	SB
Standard (A) with rocker	\$1,179	\$1,228
Entry (B) without rocker	1,179	1,228
Double Cylinder (AC) with rocker	1,197	1,246
Double Cylinder (BAC) without rocker	1,197	1,246
Passage (N)	932	971
Privacy (L)	1,072	1,114
Pair Dummy (PD)	498	522





Function	US3	US26 SB	US10B US15
Standard (A) with rocker	\$927	\$952	\$1,020
Entry (B) without rocker	927	952	1,020
Double Cylinder (AC) with rocker	950	975	1,042
Double Cylinder (BAC) without rocker	950	975	1,042
Passage (N)	715	729	787
Privacy (L)	813	832	895
Pair Dummy (PD)	305	305	355



Function	US3	US26 SB	US15
Standard (A) with rocker	\$927	\$952	\$963
Entry (B) without rocker	927	952	963
Double Cylinder (AC) with rocker	950	975	986
Double Cylinder (BAC) without rocker	950	975	986
Passage (N)	715	729	743
Privacy (L)	813	832	841
Pair Dummy (PD)	216	227	242





Function	US3	US26 SB	US15
Standard (A) with rocker	\$927	\$952	\$963
Entry (B) without rocker	927	952	963
Double Cylinder (AC) with rocker	950	975	986
Double Cylinder (BAC) without rocker	950	975	986
Passage (N)	715	729	743
Privacy (L)	813	832	841
Pair Dummy (PD)	216	227	242

All shown trim can also be used with 21/2"" and 23/4" backset mortise locks.

POCKET DOOR HARDWARE

Solid Brass or Stainless Steel Trim

OMNIA's solid brass and stainless steel pocket door hardware is ideal for bedroom and bathroom installations. Modern and traditional trim designs complement any décor and either feature concealed mounting screws or are force fit.

The collection includes locking and non-locking configurations featuring push button ejected mortise edge pulls with spring assistance. Privacy is achieved with either a butterfly deadbolt, or a hook bolt. Most trim styles are also available as flushcups for use on pocket, barn and sliding doors.





Pocket Door Locks & Flushcups

Lockbodies 1130 1230 1330

Lockbodies for pocket doors are available as part of the sets shown on pages 73-74.


1130/L Privacy or Entry with **Faceplate** and Strike \$300



1230/N Passage with **Faceplate** and Strike \$222









Flushcup Only 7035/0 \$103



Flushcups (2) with 1230/N 7035/N \$412





Flushcups (2) with 1330/PD 7035/PD \$454




Interior Turnpiece & **Exterior Emergency Release** 7035/L (with 1130/L) \$524



Exterior Keyed Entry 7035/A (with 1130/L) \$597

7036





Flushcup Only 7036/0 **\$**79



Flushcups (2) with 1230/N 7036/N \$385



Flushcups (2) with 1330/PD 7036/PD \$424



Interior Turnpiece & **Exterior Emergency Release**

7036/L (with 1130/L)

PRICING SHOWN ABOVE ARE FOR ANY OF THESE AVAILABLE FINISHES.


















Suggested retail prices effective February 1, 2023.

*/0 = Flushcup Only /N = Passage Lockbody & 2 Flushcups /PD = Pair Dummy Lockbody & 2 Flushcups /L = Lockbody & Turnpiece w/ Emergency Release /A = Lockbody & Turnpiece w/ Keyed Entry



Pocket Door Locks & Flushcups







Only

7037/0

\$103



Flushcups (2) with 1230/N 7037/N \$412



Flushcups (2) with 1330/PD 7037/PD \$454




Interior Turnpiece & Exterior Emergency Release 7037/L (with 1130/L) \$524



Interior Turnpiece & Exterior Keyed Entry 7037/A (with 1130/L) \$597













Flushcups (2) with 1330/PD 7039/PD

\$454



Interior Turnpiece & **Exterior Emergency Release**



7039/L (with 1130/L)

Interior Turnpiece & **Exterior Keyed Entry**

7039/A (with 1130/L)

PRICING SHOWN ABOVE ARE FOR ANY OF THESE AVAILABLE FINISHES.

7039/0

\$103






























Flushcups (2) with 1230/N 7012/N \$385



Flushcups (2) with 1330/PD 7012/PD



Interior Turnpiece & Exterior Emergency Release

7012/L (with 1130/L)

7012 is only available in US32D for 13/4" thick doors.Trim features exposed screws.

Suggested retail prices effective February 1, 2023.

*/0 = Flushcup Only /N = Passage Lockbody & 2 Flushcups /PD = Pair Dummy Lockbody & 2 Flushcups /L = Lockbody & Turnpiece w/ Emergency Release /A = Lockbody & Turnpiece w/ Keyed Entry

Stainless Steel Pocket Door Lock & Trim



Solid Brass Pocket Door Lock & Trim



Door Edge Pulls



3917

US3 US10B **US14 US15 US26** SB \$20

3918 Finger Pull



US32D

3919 Finger Pull



US32D **\$20**

7503/52 Flushcup



US3, US10B, US14, US15, US26, SB

\$51 US32D

\$16

7504/52 Flushcup



US3, US10B, US14, US15, US26, SB

\$51 US32D

\$16

7653 Edge Pull



US3 US10B **US14 US15 US26** SB \$42



Solid Brass & Stainless Steel



OMNIA's multipoint trim offers a high-end alternative to the basic trim that comes standard on swinging patio doors. Manufactured using the highest quality brass and stainless steel, the design options complement any aesthetic, be it traditional, modern or ornate.

All of OMNIA's multipoint trim is available in multiple lock configurations: American Cylinder Above (ACA), American Cylinder Below (ACB) and European Cylinder Below (ECB). This line allows for the opportunity to match OMNIA trim on a wider array of interior and exterior doors throughout residential projects.



71000	Series	4					
71000	Series	AC	ACA/ACB Entrance	ECB ENT ECB Entrance	ACA/ACB Patio	ECB PAT ECB Patio	ACA/ACB/ECB Pair Dummy Active (Interior) or Inactive
	71055 95%" Overall Specify RH or LH.	US3 US3A US5A US10B US14 US15 SB	\$428 428 493 493 493 493 493	\$523 523 591 591 591 591 591	\$337 337 393 393 393 393 393	\$442 442 502 502 502 502 502	\$313 313 363 363 363 363 363
	71706 9⁵%" Overall	US3 US3A US5A US10B US14 US15	\$373 373 438 438 438 438	\$479 479 548 548 548 548	\$302 302 358 358 358 358	\$398 398 458 458 458 458	\$265 265 321 321 321 321
	71752 9⁵⁄₅" Overall	US3 US3A US5A US10B US14 US15 SB	\$373 373 438 438 438 438 438 438	\$479 479 548 548 548 548 548	\$302 302 358 358 358 358 358	\$398 398 458 458 458 458 458	\$265 265 321 321 321 321 321
	71895 9*%" Overall Specify RH or LH.	US3 US10B US14 US15 SB	\$373 438 438 438 438	\$479 548 548 548 548	\$302 358 358 358 358	\$398 458 458 458 458	\$265 321 321 321 321
3	71904 9⁵%" Overall	US3 US3A US5A US10B US14 US15	\$399 399 465 465 465 465	\$504 504 575 575 575 575	\$327 327 384 384 384 384	\$423 423 483 483 483 483	\$267 267 314 314 314 314
	71944 95%" Overall	US3 US3A US5A US10B US14 US15	\$399 399 465 465 465 465	\$504 504 575 575 575 575	\$327 327 384 384 384 384	\$423 423 483 483 483 483	\$271 271 317 317 317 317


All trim available as ACA, ACB, or ECB. Additional lever designs are available for use with all plates.


72000	Series	AC	A ENT ACB ENT	ECB ENT	ACA PAT ACB PAT	ECB PAT	PDA PD
			ACA/ACB Entrance	ECB Entrance	ACA/ACB Patio	ECB Patio	ACA/ACB/ECB Pair Dummy Active (Interior) or Inactive
	72036 9 ¹ % ₆ " Overall	US26 US26D US10B US15	\$372 372 423 423	\$477 477 529 529	\$303 303 349 349	\$398 398 445 445	\$270 270 310 310
	72042 9 ¹ % ₆ " Overall Specify RH or LH.	US26 US26D US10B US15	\$372 372 423 423	\$472 472 529 529	\$303 303 349 349	\$398 398 445 445	\$270 270 310 310
	72227 9 ¹ % ₆ " Overall Specify RH or LH.	US26 US26D US10B US15	\$434 434 493 493	\$536 536 589 589	\$330 330 366 366	\$447 447 500 500	\$330 330 380 380
	72368 9 ¹³ ⁄₁6" Overall	US26 US26D US10B US15	\$372 372 423 423	\$472 472 529 529	\$303 303 349 349	\$398 398 445 445	\$270 270 310 310
	72914 9 ¹ %₅" Overall	US26 US26D US10B US15	\$438 438 497 497	\$539 539 602 602	\$368 368 421 421	\$462 462 517 517	\$334 334 383 383
9	72943 9 ¹ %₅" Overall	US26 US26D US10B US15	\$387 387 438 438	\$449 449 543 543	\$317 317 362 362	\$411 411 457 457	\$283 283 323 323

All trim available as ACA, ACB, or ECB. Additional lever designs are available for use with all plates.



73000 Series









			ACA/ACB Entrance	ECB Entrance	ACA/ACB Patio	ECB Patio	ACA/ACB/ECB Pair Dummy Inactive
	73011 11" Overall	US32D	\$354	\$294	\$236	\$258	\$180
9	73012 11" Overall	US32D	\$354	\$294	\$236	\$258	\$180
	73023 11" Overall	US32D	\$428	\$370	\$309	\$335	\$254
9	73025 11" Overall	US32D	\$447	\$390	\$327	\$354	\$273
	73033 11" Overall	US32D	\$423	\$367	\$305	\$335	\$250

All trim available as ACA, ACB, or ECB. Additional lever designs are available for use with all plates.

\$340

Suggested retail prices effective February 1, 2023.

\$354



\$273

\$327

73043 11" Overall

US32D

\$447

74000	Series	AC	A ENT ACB ENT	ECB ENT	ACA PAT ACB PAT	ECB PAT	PDA PD
			ACA/ACB Entrance	ECB Entrance	ACA/ACB Patio	ECB Patio	ACA/ACB/ECB Pair Dummy Active (Interior) or Inactive
0	74036 10 %" Overall	US26 US26D US4 US5 US10B US15	\$372 372 423 423 423 423	\$472 472 529 529 529 529	\$303 303 349 349 349 349	\$398 398 445 445 445 445	\$270 270 310 310 310 310
	74237 10 %" Overall	US26 US26D US4 US5 US10B US15	\$372 372 423 423 423 423	\$472 472 529 529 529 529	\$303 303 349 349 349 349	\$398 398 445 445 445 445	\$270 270 310 310 310 310
3	74368 10%" Overall	US26 US26D US4 US5 US10B US15	\$372 372 423 423 423 423	\$472 472 529 529 529 529	\$303 303 349 349 349 349	\$398 398 445 445 445 445	\$270 270 310 310 310 310
3	74753 10 %" Overall	US26 US26D US4 US5 US10B US15	\$413 413 464 464 464 464	\$475 475 569 569 569 569	\$343 343 388 388 388 388	\$437 437 483 483 483 483	\$309 309 349 349 349 349
	74914 10 %" Overall	US26 US26D US4 US5 US10B US15	\$438 438 497 497 497 497	\$539 539 602 602 602 602	\$368 368 421 421 421 421	\$462 462 517 517 517 517	\$334 334 383 383 383 383
7	74943 10 %" Overall	US26 US26D US4 US5 US10B US15	\$387 387 438 438 438 438	\$449 449 543 543 543 543	\$317 317 362 362 362 362 362	\$411 411 457 457 457 457	\$283 283 323 323 323 323 323

All trim available as ACA, ACB, or ECB. Additional lever designs are available for use with all plates.

Notes

ENTRANCE HANDLESETS

Solid Brass or Stainless Steel Trim

OMNIA Entrance Handlesets, an unparalleled collection crafted with uncompromising quality, make for a grand entrance. The mortise lock offers the best security features to be had, and is available in several locking functions, with 2½" or 2¾" backsets. The tubular deadbolt handlesets are for use on doors with 5½" centerto-center holes, at 2¾8" backset and 2¾4" backset.

Whether modern, traditional or ornate in style, each and every OMNIA Entrance Handleset is beautifully designed and constructed of the finest materials. At OMNIA, design and safety are not exclusive from each other.

Certain models of OMNIA Metro and Urban Entrance Handlesets are available as OMNIA + level smart locks. See page 67 for details.





CLASSICO

,,	SANSE	ETT 🙈	Function	US3 SB	US15	BAS D ETR	BPS
A SA	340	Interior	Standard (A) or Panic - Proof (F) Pair Dummy (PD)			\$1,731 1,191	\$1,847 1,243
6	059	0	Standard (A) or Panic - Proof (F) Pair Dummy (PD)	\$1,588 1,183		\$1,731 1,191	\$1,847 1,243
T- 100	251		Standard (A) or Panic - Proof (F) Pair Dummy (PD)	\$1,599 1,194	\$1,599 1,194	\$1,731 1,191	\$1,847 1,243
	260	6	Standard (A) or Panic - Proof (F) Pair Dummy (PD)	\$1,682 1,277	\$1,682 1,277	\$1,788 1,248	\$1,910 1,306
1	305	and the second	Standard (A) or Panic - Proof (F) Pair Dummy (PD)			\$1,745 1,205	\$1,861 1,257
	309		Standard (A) or Panic - Proof (F) Pair Dummy (PD)			\$1,731 1,191	\$1,847 1,243
	331	OSSESSED	Standard (A) or Panic - Proof (F) Pair Dummy (PD)			\$1,788 1,248	\$1,910 1,306
4	332		Standard (A) or Panic - Proof (F) Pair Dummy (PD)			\$1,745 1,205	\$1,861 1,257
	425		Standard (A) or Panic - Proof (F) Pair Dummy (PD)			\$1,731 1,191	\$1,847 1,243
GEOR	GICA	A	Function	US3 SB	US15	BAS D ETR	BPS
all a	251	Interior	Standard (A) or Panic - Proof (F) Pair Dummy (PD)	\$1,382 1,009	\$1,382 1,009	\$1,522 938	\$1,632 1,029
	251 059	Interior					
6		Interior	Pair Dummy (PD) Standard (A) or Panic - Proof (F)	1,009 \$1,371		938 \$1,522	1,029 \$1,632
6	059	Interior	Pair Dummy (PD) Standard (A) or Panic - Proof (F) Pair Dummy (PD) Standard (A) or Panic - Proof (F)	1,009 \$1,371 998 \$1,465	1,009	\$1,522 938 \$1,579	\$1,632 1,029 \$1,695
The original transfer of the second	059		Pair Dummy (PD) Standard (A) or Panic - Proof (F) Pair Dummy (PD) Standard (A) or Panic - Proof (F) Pair Dummy (PD) Standard (A) or Panic - Proof (F)	1,009 \$1,371 998 \$1,465	1,009	\$1,522 938 \$1,579 995 \$1,536	\$1,632 1,029 \$1,695 1,092 \$1,646
	059 260 305		Pair Dummy (PD) Standard (A) or Panic - Proof (F) Pair Dummy (PD) Standard (A) or Panic - Proof (F) Pair Dummy (PD) Standard (A) or Panic - Proof (F) Pair Dummy (PD) Standard (A) or Panic - Proof (F)	1,009 \$1,371 998 \$1,465	1,009	\$1,522 938 \$1,579 995 \$1,536 952 \$1,522	\$1,632 1,029 \$1,695 1,092 \$1,646 1,043 \$1,632
	059 260 305 309		Pair Dummy (PD) Standard (A) or Panic - Proof (F) Pair Dummy (PD) Standard (A) or Panic - Proof (F) Pair Dummy (PD) Standard (A) or Panic - Proof (F) Pair Dummy (PD) Standard (A) or Panic - Proof (F) Pair Dummy (PD) Standard (A) or Panic - Proof (F)	1,009 \$1,371 998 \$1,465	1,009	\$1,522 938 \$1,579 995 \$1,536 952 \$1,522 938 \$1,579	\$1,632 1,029 \$1,695 1,092 \$1,646 1,043 \$1,632 1,029 \$1,695
	059 260 305 309 331		Pair Dummy (PD) Standard (A) or Panic - Proof (F) Pair Dummy (PD) Standard (A) or Panic - Proof (F) Pair Dummy (PD) Standard (A) or Panic - Proof (F) Pair Dummy (PD) Standard (A) or Panic - Proof (F) Pair Dummy (PD) Standard (A) or Panic - Proof (F) Pair Dummy (PD) Standard (A) or Panic - Proof (F) Pair Dummy (PD)	1,009 \$1,371 998 \$1,465	1,009	\$1,522 938 \$1,579 995 \$1,536 952 \$1,522 938 \$1,579 995 \$1,536	\$1,632 1,029 \$1,695 1,092 \$1,646 1,043 \$1,632 1,029 \$1,695 1,092 \$1,646



Stainless Steel Urban **Tubular Deadbolt Handleset**



URBAN

Tubular Deadbolt Lockset 51/2" Center to Center

Interior Trim with 12 Lever

	Function*	US32D
-	F	\$603
25.00	PD	297
	SDE	216
	SDI	88
100	_	
-		

SEE SMART MODEL PAGE 67

\$999

L.URBAN.F012 with Invisible **Smart Technology**

Interior Trim with 43 Lever

	Function*	US32D
-	F	\$654
14.0	PD	349
	SDE	216
	SDI	139
40		



URBAN PVD

Tubular Deadbolt Lockset 51/2" Center to Center

Interior Trim with 10 & 12 Lever





L.URBAN.F012 with Invisible **Smart Technology** \$1,149

Interior Trim with 22 Lever



Interior Trim with 25 & 43 Lever



*F = Panic-Proof PD = Pair Dummy SDE = Single Dummy Exterior SDI = Single Dummy Interior



Stainless Steel Metro **Tubular Deadbolt Handleset**




METRO

Tubular Deadbolt Lockset 51/2" Center to Center

Interior Trim with 11 Lever

-	Function*	US32D
A	F	\$588
	PD	262
	SDE	188
	SDI	81
011		
4		

Interior Trim with 12 Lever



Interior Trim with 43 Lever

(30)	Function*	US32D
0	F PD SDE SDI	\$635 309 188 128
0	_	



L.METRO.F043 with Invisible **Smart Technology** \$999

*F = Panic-Proof PD = Pair Dummy SDE = Single Dummy Exterior SDI = Single Dummy Interior

HINGES

Solid Brass



Designed for mediumweight doors, of average and low-frequency usage, these solid brass hinges are suitable for both light commercial and residential installations. Ideal for use on wood or hollow metal doors and their corresponding frames, our hinges feature a stainless steel, rust-proof pin which is knurled at the top to prevent rising, yet is "free-floating" within the barrel of the hinge. The pin can be easily removed by unthreading each finial and tapping the pin upward. Each hinge set is shipped with standard button tips. Other finial designs are available and are compatible with all hinges regardless of size.

\$74



Solid Brass Hinges







SINGLE PIECE Pricing

985BB/4BTN 4" x 4" (open size) ball bearing. button tip hinge

No. of US3 US3A US4 US5A Gauge of No. of **Metal Screw Holes Hinges US10B US14 US15** Per Hinge Per Box US26 US26D SB .130 \$67

Please specify if machine screws are needed.



985BB/45BTN 41/2" x 41/2" (open size)

ball bearing, button tip hinge

Please specify if machine screws are needed.

Note: Doors equipped with closers should always have ball bearing hinges.

.134







SINGLE PIECE Pricing

985/35BTN 31/2" x 31/2" (open size) plain bearing, button tip hinge

Gauge of No. of No. of US3 US3A US4 US5A **US10B US14 US15** Metal Screw Holes Hinges Per Hinge Per Box US26 US26D SB

2 \$51 .123 6

Please specify if machine screws are needed.



985/4BTN 4" x 4" (open size) plain bearing, button tip hinge

2 .130 8 \$60

2

Please specify if machine screws are needed.



985/45BTN*

41/2" x 41/2" (open size) plain bearing, button tip hinge

Please specify if machine screws are needed.

*Not available in US3A, US5A, US10B and US14 finishes.

.134

Note: Doors equipped with closers should always have ball bearing hinges.

985R (5/8" radius)





SINGLE PIECE Pricing

985R/35BTN 31/2" x 31/2" (open size) 5/8" radius corner, plain bearing, button tip hinge

No. of **Metal Screw Holes Hinges** Per Hinge .093

US10B US14 US15 US26 Per Box

\$51

US3 US4 US5

\$69



985R/4BTN

4" x 4" (open size) 5/8" radius corner, plain bearing, button tip hinge .093 2 \$60 8



Solid Brass Finial Options



Steeple Crown

	(<u>PAIR</u> Pricing)		US3 US3A US4 US5A US10B US14 US15	
	Product #	Description	US26 US26D SB	
	085/ACN2	Acorn Finial Pair	\$19	
	085/BAL2	Ball Finial Pair	\$19	
A DE	085/CRN2	Crown Finial Pair	\$19	
温墨	085/STP2	Steeple Finial Pair	r \$19	
ABIL	085/URN2	Urn Finial Pair	\$19	

Solid Brass Cremone Bolts

432CR



Set includes a knob with 5 " h x 1 $\frac{1}{2}$ " w x $\frac{1}{2}$ " d cremone mechanism, a bottom rod of 40" and a top rod of 72", plus a set of three guides and two strikes. Specify either mortise, universal, or endpiece strike.

US3

\$369

123



Mortise Strike

US3

\$15

242



Guide or Endpiece Strike

US3

\$13

124



Universal Strike

US3

\$16

2057



Furnished with knob and 73/16" h x 11/2" w x 5/8" d cremone mechanism, a bottom rod of 40" and a top rod of 72", plus a set of four guides (two large and two small), and two strikes (one endpiece strike and one mortise strike).

US3

\$1,188



Guide or Endpiece Strike US3

\$70



Large Guide US3

\$116



123 Mortise Strike

US3

\$15

4100



US3

SB

\$383 \$394

141/4" oa. 1" throw

4100/D \$366 \$378 10 1/8" oa.

1" throw 13/4" W



PRODUCT DATA & HOW-TO-ORDER

MODERN Latchsets Product Data

Knob & Lever Latchsets

- Will fit 21/8" bore.
- For residential and commercial use. Consult with OMNIA for commercial applications.
- 23/8" and 23/4" backsets available.
- Supplied for 23/8" backset and 13/8" door thickness unless otherwise specified.
- · All lever latchsets meet ADA accessibility requirements.
- Each set consists of solid brass knobs or levers, concealed screw finished roses, metal thru-bolting rose cassette, latch, strike, dust box, faceplate, spindle, all necessary mounting screws, installation template and instructions.

Concealed Screw Roses

Modern	2 ⁹ / ₁₆ " dia. x ³ / ₈ " proj.
Square	2 ⁹ / ₁₆ " sq. x ⁷ / ₁₆ " proj.
Modern 50	2" dia. x ³/8" proj.
Square 50	2" sq. x ³ / ₈ " proj.

Tubular Latch Features

- All dimensions are standard to fit existing bores for replacement installations.
- · Tough, non-rusting materials used throughout. Face covers and strikes are solid brass. No. 013 "T" strike supplied as a standard or No. 014 "Full Lip" strike as an option. No. 019 47/8" ASA strike also available (add \$20 to cost of latchset). Specify when ordering.
- Critical interior parts are made of solid brass.
- For over fifty-five years OMNIA's latches have been opening and closing millions of doors all around the world.
- 28° rotation to retract latch.



Knob Latches

105KPA38:	2 ³ / ₈ " backset, passage knob latch	105LPA38:	23/8" backset, passage lever latch
105KPA34:	2³/₄" backset, passage knob latch	105LPA34:	2 ³ / ₄ " backset, passage lever latch
106KPR38:	2 ³ / ₈ " backset, privacy knob latch	106LPR38:	2 ³ / ₈ " backset, privacy lever latch
106KPR34:	2³/₄" backset, privacy	106LPR34:	2 ³ / ₄ " backset, privacy

Lever Latches

lever latch


The above part numbers should be used when ordering latch only. Specify finish of faceplate.



All OMNIA lever latchsets meet ADA accessibility requirements.


knob latch





SPECIFY 23/8" OR 23/4" BACKSET.

DRAWINGS NOT TO SCALE



MODERN Latchsets Product Data

Functions

- PA Passage: Latch operates by lever (or knob) from either side of door.
- PR Privacy: Latch operates by lever from either side of door. Push button on interior rose engages privacy; emergency release hole is on exterior rose. Turning inside lever will release privacy and retract latchbolt. For bathroom or bedroom.
- SD Single Dummy: Lever trim on one side of the door only. Surface mounted. For pair dummy, order two single dummies.

(SEE PD & SD ILLUSTRATIONS ON PAGE 93)

Dummy applications not recommended for commercial use.

Latchset Components

- A Door Knob/Lever (2)
- B Set Screws (2)
- C Nylon Threaded Washer (2)
- D Finished Rose (2)
- Ea Metal Spring Assist Sub-Rose
- Eb Metal Spring Assist Sub-Rose
- F Spindle (Teardrop groove positioned towards set screw)
- G Tubular Latch
- H Privacy Locking Block Machine Screw
- I Privacy Locking Block Locking Stopper


- With Locking Washer (2)

Q - Emergency Release Key


Sub-Rose Cassette Features

Metal sub-roses feature self-aligning thru-bolts. Springassisted outside and inside. Three spring tensions are available: Knob Strength, Lever Strength and Heavy Duty Lever Strength.

#981/K Sub-Rose Cassette: Knob Strength Spring #981 Sub-Rose Cassette: Lever Strength Spring #982/K Sub-Rose Cassette: Knob Strength Spring **#982 Sub-Rose Cassette:** Lever Strength Spring #982/PD Sub-Rose Cassette: Pair Dummy




Component parts Ea and Eb as shown below for 2" (50mm) rose.



Component parts Ea and Eb as shown below.

DRAWINGS NOT TO SCALE




MODERN Latchsets Product Data

Roses

Single Dummy Rose

Surface Mounted, Concealed Screws

No screws are exposed. Shipped unassembled.




DRAWINGS NOT TO SCALE

Pair Dummy Rose Options

Surface Mounted, Concealed Screws

No screws are exposed. Shipped unassembled. Order two single dummies.



FINISH CODES



3 Polished Brass, Lacquered



10B Black, Oil-Rubbed, Lacquered



14 Polished Nickel Plated, Lacquered



15 Satin Nickel Plated, Lacquered



26 Polished Chrome Plated

PASSAGE/PRIVACY

ARC

MODERN

CLASSICO

TRADITIONS



(levers only)

26D Satin Chrome Plated

How to Order Modern

EXAMPLE:

Lever or

Knob Item #

All sets shipped standard for 2 3/8" backset and 13/8" door thickness and T strike.

Design 943

M = Round

S = Square

M50 = 2" Round S50 = 2" Square

Rose Option

238 238 = 23/8" Backset

Latch

234 = 23/4" Backset F = Full Lip Strike0 = Single Dummy

T ="T" Strike

Strike

PΑ See Function

Function

Codes (Page 92)

Finish 15

See Finish Codes (Above)

Product order number would be 943M/238T.PA15 or 943M/0.SD15 for a single dummy.

STAINLESS STEEL & PVD Latchsets **Product Data**

Stainless Steel Latchsets

- Will fit 21/8" bore.
- 23/8" and 23/4" backsets available.
- Supplied for 23/8" backset and 13/8" door thickness unless otherwise specified.
- All lever latchsets meet ADA accessibility requirements.

Latch Features

- 28° retraction.
- 8 mm hub.
- Adjustable faceplate/armor plate for beveled doors.
- Built-in privacy feature with automatic release by inside lever or depression of latch nose.
- All dimensions are standard to fit existing bores for replacement installations.
- No. 013 "T" strike supplied as a standard or No. 014 "Full Lip" strike as an option at no extra charge. No. 019 47/8" ASA strike also available for an additional charge. Specify when ordering.

Concealed Screw Roses

Self-aligning, spring-assisted roses.

- 2⁷/₁₆" dia. x ³/₈" proj. Shipped standard.
- 2⁷/₁₆" square x ³/₈" proj. or 2" dia. x ⁷/₁₆" proj. optional. (To achieve a privacy function with a 2" dia. rose, a separate mortise privacy bolt must be ordered.)

Functions

- PA Passage: Latch operates by lever from either side of door. Uses 8 mm solid spindle.
- PR Privacy: Latch operates by lever from either side. Push button on interior rose engages privacy; emergency release hole is on exterior rose. Turning inside lever will release privacy and retract latchbolt. For bathroom or bedroom. Uses 8 mm split spindle.
- SD Single Dummy: Trim on one side of door only. For pair dummy, order two single dummies.

Passage Latches (8 mm hub)

107LPA38: 23/8" backset

Passage lever latch

107LPA34: 23/4" backset

Passage lever latch

Privacy Latches (8 mm hub)

108LPR38: 23/8" backset

Privacy lever latch

108LPR34: 2³/₄" backset

Privacy lever latch

The above part numbers should be used when ordering latches only.

Finish Options


US32 Polished Stainless Steel **US32D** Satin Stainless Steel

Care of Product


OMNIA's Stainless Steel requires minimal attention and will not tarnish or corrode under normal circumstances. However, exposure to certain chemical or environmental conditions may promote surface oxidation. Please be aware that this is not a defect in the stainless steel but a reaction on the surface of the finish to the chemical environment which can be removed with stainless steel polish, or an abrasive pad.



All OMNIA lever latchsets meet ADA accessibility requirements.



SPECIFY 2%" OR 2¾" BACKSET.



FOR PRODUCTS

STAINLESS STEEL & PVD Latchsets **Product Data**

SHOWN ON PAGES 11-15.

Mb

Latchset Component List

- A Door Levers (2)
- B Set Screws (2)
- C Spindle (Teardrop groove positioned towards set screw)
- Da Finished Rose
- Db Nylon Sub-Rose
- E Thru-bolt Screws (2)
- F Privacy Locking Block Machine Screw
- G Privacy Locking Block Locking Stopper




- Tubular Latch Faceplate

K - Tubular Latch Strike Plate



Ma - Nylon Sub-Rose Mb - Finished Rose

N - Privacy Locking Pin





PRIVACY LATCHSET SHOWN

DRAWING NOT TO SCALE

FINISH CODES



32 Polished Stainless Steel



32D Satin Stainless Steel

How to Order Stainless Steel

EXAMPLE: PASSAGE/PRIVACY

All sets shipped standard for 2 3/8" backset and 13/8" door thickness and T strike.

Design 12

Lever Item #

Only for:

S = Square

M52 = 2" Round

Rose Option

Latch

238 238 = 23/8" Backset 234 = 23/4" Backset

0 = Single Dummy

Strike

T = "T" StrikeSee Function F = Full Lip Strike Codes (Page 94)

Function

See Finish Codes (Above)

Finish

Product order number would be 12/238T.PA32D or 12/0.SD32D for a single dummy.

TRADITIONS Latchsets Product Data

Knob & Lever Latchset Tubular Latch Features

- Small roses will NOT fit 21/8" bore.
- · For residential and commercial use. Consult with OMNIA for commercial applications.
- 23/8" (standard) and 23/4" backsets available.
- Supplied for 2³/₈" backset and 13/8" door thickness unless otherwise specified.
- · All lever latchsets meet ADA accessibility requirements.
- · Each set consists of solid brass knobs or levers, surface mounted roses, latch, strike, dust box, faceplate, spindle, all necessary mounting screws, installation template and instructions.



All OMNIA lever latchsets meet ADA accessibility requirements.

- 28° rotation to retract latch.
- Tough, non-rusting materials used throughout. Face covers and strikes are solid brass. No. 013 "T" strike supplied as a standard, or No. 014 "Full Lip" strike as an option. Specify when ordering.
- For over fifty-five years, OMNIA's latches have been opening and closing millions of doors all around the world.

Functions


- PA Passage: Latch operates by knob or lever from either side of door.
- PR Privacy: For sets with 13/4" and 23/16" dia. roses, a separate mortise privacy bolt must be ordered. Locks by privacy bolt with turnpiece on inside; emergency release on outside privacy rose.
- SD Single Dummy: Trim on one side of door only. Surface mounted. Knob or lever with rose. For pair dummy, order two single dummies.


7 - Tubular Latch Faceplate


9 - Tubular Latch Dust Box

10 - Nylon Washers (2)

8 - Tubular Latch Strike Plate







FINISH CODES



3 Polished Brass. Lacquered



3A Polished Brass. Unlacquered



5A Antique Bronze, Unlacquered



10B Black Oil-Rubbed, Lacquered



Polished Nickel Plated, Lacquered



15 Satin Nickel Plated. Lacquered



26 Polished Chrome Plated

Latchset Component List (For sets with $1^3/4$ " and $2^3/16$ " dia. roses)

- 1 Door Knob/Lever (2)
- 2 Set Screws (2)
- 3a Finished Rose (2)
- 3b Unfinished Brass Sub-Rose (2)
- 4 Wood Screws (6)
- 5 Tubular Latch



EXAMPLE:

How to Order Traditions

All sets shipped standard for 2 3/8" backset and 13/8" door thickness and T strike.

Design 752

Knob Item #

Lever or

Rose Option 00

00 = Standard $45 = 1 \frac{3}{4}$ " Dia. $55 = 2 \frac{3}{16}$ " Dia.

RT = Rectangle

Handing Only if using #55 Single Dummy

R = RightL = Left

Door Thickness & Backset*

> $A = 1\frac{3}{8}$ " $\times 2\frac{3}{4}$ " $= 1\frac{3}{4}$ " $\times 2\frac{3}{8}$ "

 $C = 1\frac{3}{4}$ " $\times 2\frac{3}{4}$ "

Strike *

F = Full Lip Strike (Insert only if needed)

Function PA

See Function

Finish 3A

See Finish Codes (Above) Codes (Above)

PASSAGE/PRIVACY

*If door is standard 13/8" x 23/8" then enter nothing for Door Thickness/Backset and Strike.

Product order number would be 752/00AF.PA3A or 752/00.SD3A for a single dummy.

ARC Latchsets Product Data

FOR PRODUCTS SHOWN ON **PAGES 21-23.**

Knob & Lever Latchset

- 23/8" (standard) and 23/4" backsets available.
- Supplied for 13/8" door thickness as standard. The minimum door thickness is 1½"; the maximum door thickness is 2 1/2" (please specify).
- All lever latchsets meet ADA accessibility requirements.

Each set consists of solid brass knobs or levers. concealed screw finished roses, metal thrubolting spring-assisted rose cassette, latch, strike, dust box, faceplate, spindle, all necessary mounting screws, installation template and instructions.



Latchsets with any of the smaller roses are available with a push-button privacy function just like the larger roses.

Tubular Latch Features

- 28° rotation to retract latch.
- Tough, non-rusting materials used throughout. Face covers and strikes are solid brass. No.013 "T" strike supplied as standard or No.014 "Full Lip" strike as an option. (Please specify.)
- Critical interior parts are made of solid brass.
- For over five decades, OMNIA's latches have been opening and closing millions of doors all around the world.

Functions

O - Washer Installation Tool

Q - Emergency

Release Key

Components

for 2"

(50mm) rose #981

#982

DRAWING NOT TO SCALE

P - Privacy Locking Pin (Privacy ONLY)

- PA Passage: Latch operates by knob or lever from either side of door.
- PR Privacy: Push pin provided for privacy inside room. Emergency release hole for outside room. Emergency release key also provided.
- SD Single Dummy: Trim on one side of door only. Concealed screw roses for surface mounting. Knob or lever with rose. For pair dummy, order two single dummies.

N - Thru-Bolt Machine Screws With Locking Washer (2)

FINISH CODES



3 Polished Brass, Lacquered



3A Polished Brass, Unlacquered



4 Satin Brass. Lacquered



5 Antique Brass, Lacquered



10B Black. Oil-Rubbed Lacquered



14 Polished Nickel Plated, Lacquered



15 Satin Nickel Plated. Lacquered



26 Polished Chrome Plated

SMALL ROSES WILL NOT FIT 2 1/8" BORE.

ALL ROSES ARE CONCEALED SCREW MOUNTED.



All OMNIA lever latchsets meet ADA accessibility requirements.

Latchset Component List

- A Door Knob/Lever (2)
- B Set Screw (2)
- C Nylon Threaded Washer (2)
- D Finished Rose (2)
- Ea Metal Spring Assist Sub-Rose
- Eb Metal Spring Assist Sub-Rose
- F Spindle (Teardrop groove positioned towards set screw)
- G Tubular Latch
- H Privacy Locking Block Machine Screw
- Privacy Locking Block Locking Stopper
- J Privacy Locking Block
- K Tubular Latch **Faceplate**
- L Tubular Latch Strike Plate
- M Tubular Latch **Dust Box**

How to Order ARC

All sets shipped standard for 2 3/8" backset and 13/8" door thickness and T strike.

Design 75 I Lever or

Knob Item#

EXAMPLE:

Rose Option ΜI

BD = Beaded FD = FdaedMI = Milled

Rose Size **5**0 $50 = 50 \, \text{mm}$

67 = 67 mm

238 = 23/8" Backset 234 = 2 3/4" Backset

0 = Single Dummy

Latch

Strike

#982

T = "T" StrikeF = Full Lip Strike **Function** PA

See Function

Codes (Above)

15

PASSAGE/PRIVACY

See Finish Codes (Above)

Finish

Product order number would be 751ML50/238F.PA15 or 751ML50/0.SD15 for a single dummy.

diau Latchsets Product Data

Knob & Lever Latchsets

- 23/8" (standard) and 23/4" backsets available.
- Supplied for both 13/8" and 13/4" door thickness as standard. The minimum door thickness is 11/4" and the maximum door thickness is 21/2" (please specify).
- · All lever latchsets meet ADA accessibility requirements.
- Each set consists of solid brass knobs or levers, thru-bolted rose mechanisms, finished rose covers, latch, strike, faceplate, spindle, all necessary mounting screws, installation template and instructions.

Tubular Latch Features

- 55° rotation to retract latch. (For knobs)
- 28° rotation to retract latch. (For levers)

- Tough, non-rusting materials used throughout. Face covers and strikes are solid brass. No.014 "Full Lip" strike supplied as standard or No. 013 "T" strike as an option. (Specify.)
- For over fifty-five years, OMNIA's latches have been opening and closing millions of doors all around the world.

Functions

- PA Passage: Latch operates by knob or lever from either side of door.
- PR Privacy: Push pin provided for privacy inside room. Emergency release hole for outside room. Emergency release key also provided.
- SD Single Dummy: Trim on one side of door only. Surface mounted. Knob or lever with rose. For pair dummy, order two single dummies.


S - Spindle (Teardrop groove


positioned towards set screw)


(55° Latch Parts)


R - Adaptor R

All OMNIA lever latchsets meet ADA accessibility requirements.










Latchset Component List

- A Door Knob/Lever (2)
- B Set Screws (2)
- C Nylon Threaded Washers (2)
- D Finished Rose
- E Metal Spring Assist Sub-Rose
- F Tubular Latch
- G Tubular Latch Faceplate
- H Tubular Latch Strike Plate
- I Metal Spring Assist Sub-Rose
- J Privacy Locking Block Machine Screw (For Privacy ONLY)
- K Privacy Locking Block Locking Stopper (For Privacy ONLY)
- L Privacy Locking Block (For Privacy ONLY)
- M- Thru-Bolt Machine Screws with Locking Washer (2)
- N Finished Rose
- O Privacy Locking Pin (For Privacy ONLY)
- P Washer Installation Tool
- Q Emergency Release Key

DRAWINGS NOT TO SCALE





FINISH CODES



Polished Brass, Lacquered

14



3A Polished Brass, Unlacquered




US4 Satin Brass, Lacquered







10B Black, Oil-Rubbed, Lacquered





26 Polished Chrome Plated



26D Satin Chrome Plated***



TB Tuscan Bronze, Lacquered

15

How to Order Prodigy

EXAMPLE: PASSAGE/PRIVACY

All sets shipped standard for 2 3/8" backset and 13/8" door thickness and Full Lip strike.

Design

Rose Option

Levers Only *

Latch

Strike

Function

Finish

895

Lever or Knob Item#

TD = Traditional MD = Modern AR = ArchedRT = RectangularSQ = Square

X

238 = 23/8" Backset $234 = 2\frac{3}{4}$ " Backset F = Full LipStrike T = "T" Strike

PA See Function Codes (Page 98)

15 See Finish Codes (Above)

Product order number would be 895AR/X238F.PA15 or 895AR/R.SD15 for a single dummy.

^{*3}A Only available for 434, 458, 565 & 955 with Traditional rose.

^{**}**5** Only available for 566, 936, 955 and 956.

^{***} **26D** Only available for 912, 925, 930 & 935 with Modern, Rectangular or Square rose.

^{*}Also include an "X" when ordering knobs with a 28° latch.

CLASSICO Latchsets Product Data

Knob & Lever Latchsets

- 23/8" (standard) and 23/4" backsets available.
- Supplied for 2³/₈" backset and 13/8" door thickness unless otherwise specified.
- Rose diameters: $3265 \text{ (reeded)} = 2^{7}/8'' \text{ dia.}$ $4320 \text{ (floral)} = 2\%_{16}$ " dia.
- · All lever latchsets meet ADA accessibility requirements.
- · Each set consists of solid brass knobs or levers, thru-bolted rose mechanisms, finished rose covers, latch, strike, faceplate, spindle, all necessary mounting screws, installation template and instructions.




All OMNIA lever latchsets meet ADA accessibility requirements.


Tubular Latch Features

- 28° to retract latch rotation.
- · Tough, non-rusting materials used throughout. Face covers and strikes are solid brass. No. 013 "T" strike supplied as a standard or No. 014 "Full Lip" strike as an option. Specify when ordering.

Functions

- PA Passage: Latch operates by knob or lever from either side of door.
- PR Privacy: Push pin provided for privacy inside room. Emergency release hole for outside room. Emergency release key also provided.
- SD Single Dummy: Trim on one side of door only. Surface mounted. Knob or lever with rose. For pair dummy, order two single dummies.





Latchset Component List

- A Door Knob/Lever (2)
- B Set Screws (2)
- Ca Finished Rose
- Cb Metal Spring Assist Sub-Rose
- D Thru-Bolt Machine Screws with Locking Washer (2)
- E Spindle (Teardrop groove positioned towards set screw)
- F Privacy Locking Block Machine Screw
- G Privacy Locking Block Locking Stopper
- H Privacy Locking Block
- I Tubular Latch

- Tubular Latch Faceplate - Tubular Latch Strike Plate

- Tubular Latch Dust Box

Ma - Metal Spring Assist Sub-Rose

Mb - Finished Rose

N - Nylon Threaded Washers (2)

All roses are

concealed screw mounted.

O - Privacy Locking Pin

P - Washer Installation Tool

- Emergency Release Key





DRAWINGS





BPS Venetian Nickel. Lacquered

0

21/4"



Florentine Brass. Lacquered



ETR Etruscan Bronze, Lacquered

How to Order Classico

EXAMPLE:

All sets shipped standard for 2 3/8" backset and 13/8" door thickness and T strike.

Design 25 I Lever or Knob Item # Rose Option FL = Floral

38 238 = 23/8" Backset $234 = 2 \frac{3}{4}$ " Backset

Latch

Strike T = "T" StrikeF = Full Lip Strike

38 = 13/8"

 $34 = 1\frac{3}{4}$

Thickness **Function**

See Function Codes (Above) Finish

PASSAGE/PRIVACY

See Finish Codes (Above)

Product order number would be 251FL/238T38.PA.ETR or 251FL/L.SD.ETR for a single dummy.


Interior Mortise Locks Product Data

3500/3600 Series Specifications


Lever locks come standard with HUB ADJUST feature. to keep levers level.

- Case: 3/4" thick heavy gauge steel.
- Armor Front: Adjustable bevel. Made from brass, bronze or stainless steel.
- Latch Bolt: 7/16" throw. Brass or stainless steel for standard locks or magnetic latch locks.
- **Deadbolt:** ¹/₂" throw. Brass or stainless steel.
- Thumbturn Hub: ³/₁₆" (5 mm) on the diamond.
- For interior doors.
- Passage and privacy functions available.
- 3500 (knob) and 3600 (lever) series with a vertical spacing of 2⁷/₈" between the lever and turnpiece.
- Standard lever high. Optional lever low (must specify).
- 21/2" standard backset (for door stiles starting at 3"*) Other backsets available upon request.


Functions



Passage -7/8" 21/2" -(PA) 4 13/16" *To accommodate through bolting 11/2" - 1 11/16" center-to-center



DRAWINGS NOT TO SCALE



FINISH CODES

FINISH	DESCRIPTION	CODE
US3	Polished Brass, Lacquered	3
US3A	Polished Brass, Unlacquered	3A
US4	Satin Brass, Lacquered	4
US5	Antique Brass, Lacquered	5
US5A	Antique Bronze, Unlacquered	5A
US10B	Black, Oil-Rubbed, Lacquered	10B
US14	Polished Nickel Plated, Lacquered	14
US15	Satin Nickel Plated, Lacquered	15
US26	Polished Chrome Plated	26
US26D	Satin Chrome Plated	26D

How to Order Interior Mortise Locks

		EXAM	PLE:		
Design	Rose Optio	n	Function	Handing	Finish
368	M	/ IML	PA	R	10B
Lever or Knob Item #	M = Round S = Square M50 = 2" Rou S50 = 2" Squa	. •.		. = Left-Handed R = Right-Handed	See Finish Codes (Left)
		er number wou 58M/0.SD10B			
			or a singre at	y.	
Design	Rose Option		Function	Handing	Finish
Design 753	Rose Option ED		Function		Finish 4
	$\frac{ED}{BD = Beaded} = \frac{1}{5}$	Rose Size	Function PA PA = Passage	Handing R	4 See Finish


Product order number would be 753ED50/IML.PA.R4 or 753ED50/0.SD4 for a single dummy.

Mortise Deadlocks Product Data

Specifications

- Backset: Available with 23/4" backset standard. 21/2" backset special order only.
- Doors: 13/4" thick with 41/2" minimum stile as standard. For doors over 13/4" thick, please specify door thickness.
- Case: Heavy wrought steel with zinc dichromate finish for corrosion resistance. 4" w x 3" h
- Front: Adjustable armored steel front, with 11/8" w x 45/8" h solid brass or stainless steel faceplate for all lock bodies.

- Deadbolt: 1" proj. x 5/8" thick x $1^{1}/_{16}$ " h full throw stainless steel.
- Springs: High carbon steel.
- Strike: Solid brass or stainless steel strike plate. $1^{1}/_{8}$ " w x $3^{1}/_{2}$ " h
- Cylinder: Solid brass from bar stock. Made in USA. Schlage® "C" keyway supplied as standard, with two OMNIA nickel silver keys. When applicable, cylinder collars are supplied with compression spring. Available on special orders with a variety of other keyways and key combinations.
- Keying: Specify Keyed Alike (KA) when needed. Master/Grand/ Construction keying available at additional cost.



Auxiliary Deadbolts Product Data

Specifications


- Available in 23/8" or 23/4" backsets. Please specify backset at time of order.
- Available for 13/8" or 13/4" thick doors. Please specify door thickness at time of order. For doors 2" thick or thicker, please call OMNIA for additional charges that may apply.
- Suitable for most pre-existing bores for cylindrical locks.
- Supplied with Schlage® "C" keyway as a standard. Available on special order with a variety of other keyways and key combinations.

Lock Functions

- A Activated by key outside and turnpiece inside.
- AC Activated by key only from either side. (For stainless steel auxiliary deadbolts only.)

Supplied With:

- $2^{3}/_{4}$ " x $1^{1}/_{8}$ " x $3^{1}/_{16}$ " armored strike reinforcement.
- All parts shown in schematics below.



FINISH CODES

FINISH	DESCRIPTION	CODE
US3	Polished Brass, Lacquered	3
US3A	Polished Brass, Unlacquered	3A
US4	Satin Brass, Lacquered	4
US5	Antique Brass, Lacquered	5
US5A	Antique Bronze, Unlacquered	5A
US10B	Black, Oil-Rubbed, Lacquered	10B
US14	Polished Nickel Plated, Lacquered	14
US15	Satin Nickel Plated, Lacquered	15
US26	Polished Chrome Plated	26
US26D	Satin Chrome Plated	26D
US32D	Satin Stainless Steel	32D

FINISH	DESCRIPTION	CODE
SB	Shaded Bronze, Lacquered	SB
ТВ	Tuscan Bronze, Lacquered	TB
BAS	Siena Brass, Lacquered	BAS
BPS	Venetian Nickel, Lacquered	BPS
D	Florentine Brass, Lacquered	D
ETR	Etruscan Bronze, Lacquered	ETR
PBL	PVD Black	PBL
PDB	PVD Dark Bronze	PDB
PSG	PVD Satin Gold	PSG
PTT	PVD Titanium	PTT

How to Order Auxiliary Deadbolts EXAMPLE: Door Thickness Backset Design **Function** Finish MODDB 34 38 26 A = Key Outside x Turnpiece Inside $38 = 1\frac{3}{8}$ " Thick 38 = 23/8" Backset See Finish Codes (Above) $34 = 1^{3}/4$ " Thick $34 = 2^{3}/4$ " Backset AC = Key Both Sides (for Stainless Steel Aúxiliary Deadbolt only) Product order number would be MODDBA34.38.26

Mortise Locksets Product Data

Mortise & Deadbolt Solid Brass Backplates (except where noted)

1000 Series	Traditional Roses	2 ⁵ / ₈ " diameter x ⁹ / ₁₆ "	12000 Series	Stainless Steel Backplates	10 ⁹ / ₁₆ " x 2 ¹ / ₂ " x ⁵ / ₁₆ "
2000 Series	Modern Roses	2 ⁹ / ₁₆ " diameter x ³ / ₈ "	24000 Series	Roped Backplates	10 ⁵ /8" x 2 ⁷ /16" x ³ /8"
2000S Series	Square Roses	2 ⁹ / ₁₆ " square x ⁷ / ₁₆ "	25000 Series	Beaded Backplates	10 ⁵ /8" x 2 ³ /8" x ⁵ /16"
4000 Series	Modern Backplates	8 ¹ / ₄ " x 2" x ¹ / ₄ "	53000 Series	Ornate Backplates	13 ⁷ /8" x 2 ⁷ /8" x ³ /8"
11000 Series	Traditional Backplates	10 ⁵ /8" x 2 ³ /8" x ⁵ /16"	57000 Series	Ornate Backplates	14" x 3" x ³ / ₈ "

Mortise Locksets

12000 Series Brass Backplates

Available with two backset options $-2\frac{1}{2}$ " or $2\frac{3}{4}$ ". Please specify when ordering.

10 ⁹/₁₆" x 2 ³/₈" x ⁵/₁₆"






- Backset: Available with two backset options: 21/2" or 23/4". Please specify backset on order.
- For Doors: 1³/₄" thick as standard. For doors over 13/4" thick, please specify door thickness.
- $-2^{1/2}$ " b.s.: with $3^{7/8}$ " minimum stile
- $-2^{3}/4^{\circ}$ b.s.: with $4^{1}/2^{\circ}$ minimum stile
- Case: Heavy wrought steel with zinc dichromate finish for corrosion resistance
- $-2^{1/2}$ " b.s.: $3^{5/8}$ " x $6^{1/16}$ " x $^{15/16}$ " $-2^{3}/_{4}$ " b.s.: $3^{15}/_{16}$ " x $6^{1}/_{16}$ " x $^{15}/_{16}$ "
- Front: Adjustable armored steel front, with 8" x 11/4" solid brass faceplate for all lock bodies. Finished to match trim.

- Latchbolt: Two-piece anti-friction design made from solid brass. Both lock bodies with 1" x 5/8" x 3/4" full throw.
- Deadbolt:
- $-2^{1/2}$ " b.s.: $1^{3/16}$ " x $9^{1/16}$ " x 1" full throw solid brass with sawproof insert.
- $-2^{3}/4$ " b.s.: $1^{1}/8$ " x 1/2" x 1" full throw stainless steel.
- Springs: High carbon steel.
- Strike: Solid brass curved lip strike. $4^{7}/8$ " x $1^{1}/4$ " x lip $1^{1}/4$ " to center. Finished to match trim. Dust box supplied as standard. Extended lip strikes available.
- Hand: When ordering specify right or left hand, and reverse bevel if applicable. Reversing instructions available.

- Cylinder: Solid brass from bar stock. Made in USA. Schlage® "C" keyway supplied as a standard, with two OMNIA nickel silver keys. When applicable, cylinder collars are supplied with compression spring. Available on special order with a variety of other keyways and key combinations.
- Keying: Specify Keyed Alike (KA) when needed. Master / Grand / Construction keying available at additional cost.
- Safety Standards: 21/2" and 23/4" b.s.: UL Listed 3 Hour (R13846). Grade 1 certified to ANSI/BHMA A156.13.2005 standard — exceeding 5 million cycles at independent third party test facility.



Mortise Locksets Product Data

Mortise Locksets


Available with two backset options $-2\frac{1}{2}$ or $2\frac{3}{4}$. Please specify when ordering.

All lever entry sets provide a lever outside and a lever inside with matching rose or backplate. If the outside trim is a lever with plate, the inside trim will match. If the outside trim is a lever with rose, the inside trim will be a lever with rose. The same is true for sets employing knobs. For additional trim options, see our Latchsets section.

Functions


A - Standard Entry ANSI# F08

Latchbolt operates by knob or lever from either side except when outside trim is locked by stopbutton; then opens by key outside, by knob or lever inside. Deadbolt activated by key outside and by turnpiece inside.



AC - Double Cylinder Entry

Latchbolt operates by knob or lever from either side except when outside trim is locked by stopbutton; then opens by key outside, by knob or lever inside. Deadbolt activated only by key from either side.



F - Panic-Proof Entry ANSI# F12


Latchbolt operates by knob or lever from either side except when outside trim is locked by stop button. Deadbolt activated by key outside and turnpiece inside. Turning of inside knob or lever will retract both deadbolt and latchbolt at the same time.



EW - Storeroom

ANSI# F07

Latchbolt operates by knob or lever inside and by key outside. The outside knob or lever is rigid. Auxiliary latchbolt deadlocks latchbolt.



J - Classroom ANSI# F05


Latchbolt operates

by knob or lever either side except when outside knob or lever is locked or unlocked by key in the cylinder. Auxiliary latchbolt deadlocks latchbolt.



N - Passage

Latchbolt operates by knob or lever either side.



L - Privacy ANSI# F02

Latchbolt operates by knob or lever either side. Deadbolt by turnpiece inside and emergency key outside. Turning of inside knob or lever will retract both deadbolt and latchbolt at the same time.

Additional lock functions are available, including electrification. Please contact OMNIA for pricing and availability.

Commercial Installations: Please specify when ordering locksets for commercial use. Dummy applications are *not* recommended for commercial use.

Made In U.S.A.





All OMNIA lever latchsets meet ADA accessibility requirements.

Sectional Trim Mortise Locksets

When ordering mortise locksets with sectional trim, please note: Locks in the 1000 Series, will be supplied with the rose as shown with that specific model knob or lever in the Latchset section of this catalog (traditional, beaded, ornate or roped). Locks in the 2000 Series, will be supplied with the modern rose as shown with that specific knob or lever in the Latchset section of this catalog. Locks in the **20005 Series** will be supplied with the square rose as shown below.

1000 Series



2000 Series




2000S Series



Mortise Locksets Product Data

FINISH CODES

FINISH	DESCRIPTION	ORDERING CODE
US3	Polished Brass, Lacquered	1
US3A	Polished Brass, Unlacquered	3A
US4	Satin Brass, Lacquered	US4
US5	Antique Brass, Lacquered	5
US5A	Antique Bronze, Unlacquered	5A
US10B	Black, Oil-Rubbed, Lacquered	10B
US14	Polished Nickel Plated, Lacquered	14
US15	Satin Nickel Plated, Lacquered	15
US26	Polished Chrome Plated	2
US26D	Satin Chrome Plated	3
US32D	Satin Stainless Steel	32D
SB	Shaded Bronze, Lacquered	4
BAS	Siena Brass, Lacquered	BAS
BPS	Venetian Nickel, Lacquered	BPS
D	Florentine Brass, Lacquered	D
ETR	Etruscan Bronze, Lacquered	ETR
PBL	PVD Black	PBL
PDB	PVD Dark Bronze	PDB
PSG	PVD Satin Gold	PSG
PTT	PVD Titanium	PTT



For doors over 1¾" thick, please specify door thickness. For doors 2" thick or thicker, please call OMNIA for additional charges that may apply.

Deadbolt Locksets Product Data

Tubular Deadbolt with Mortise Cylinder

- Available with backset of 2³/₈" or 23/4".
- Supplied for 2³/₈" backset and 13/4" door thickness unless otherwise specified.
- Fits narrow stiles of less than 4".
- For 23/8" backset, stile width can be as narrow as 35/8".
- For 23/4" backset, stile width can be as narrow as 4".
- Suitable for most pre-existing bores for cylindrical locks.
- Full 1" throw deadbolt.
- Supplied with Schlage® "C" keyway as a standard. Available on special order with a variety of other keyways and key combinations.
- Deadbolt employs standard mortise cylinder for ease of re-keying and key changes.

Finish Codes

Deadbolt locksets are available in the same finishes as our Mortise Locksets. See page 106 for Finish Codes grid.

Tubular Latch Features


- · All dimensions are standard for most replacement installations.
- Tough, non-rusting materials used throughout. Face covers and strikes are solid brass.
- · Critical interior parts are made of solid brass.
- For over fifty-five years OMNIA's latches have been opening and closing millions of doors all around the world.

Specify either 2%" or 2¾" backset.

Functions


- A Standard Deadbolt Locksets: Latchbolt operates by knob or lever from either side. Deadbolt activated by key outside and turnpiece inside.
- AC Double Cylinder Deadbolt Locksets: Latchbolt operates by knob or lever from either side. Deadbolt activated only by key from either side.

Auxiliary deadbolt kits (with collar) are also available. See pages 39-41.




DRAWINGS NOT TO SCALE

HIGH SECURITY DEADBOLT



HEAVY DUTY TUBULAR LATCH



How to Order Deadbolt Locksets EXAMPLE: ACTIVE Plate Design Center-to-Center * Backset **Function** Finish 055 34 55 15 (For all Series # Lever or Knob A = Key Outside x $00 = 3^{5}/8$ " C.C. 38 = 2 3/8" Backset See Finish Deadbolts) Item # Turnpièce Inside $55 = 5\frac{1}{2}$ " C.C. $34 = 2^{3}/4^{\circ}$ Backset Codes (Page 106) AC = Key Both Sides

*11000 & 12000 plates only available with 51/2" center-to-center. 24000 & 25000 plates only available with 35/8" center-to-center.

Product order number would be D11055A55.34.15 or D11055SD55L15 for a single dummy.

OMNIA + Dlevel Product Data

Level Bolt Technical Specifications

- Sizes: 23/4" or 23/8" backset (Level Bolt has an adjustable backset)
- Power requirements: 1 CR2 lithium 3-volt battery
- Battery life: 1 year (under typical conditions)
- Audio: multi-tone chimes
- Wireless: Bluetooth Low Energy
- Operating temperature: -20° to 60° C
- Weather resistance: IPX4 water resistance
- Testing: testing to ANSI grade 1/A standards
- · Languages: English
- Requirements: iOS or Android device
- Remote connectivity: Apple HomeKit and Amazon Sidewalk

Auxiliary Deadbolt

• Will work on 13/4" thick doors or thicker.

Deadbolt with Plate

Will work on 13/8" thick doors or thicker.

FINISH CODES

FINISH	DESCRIPTION	ORDERING CODE
US3	Polished Brass, Lacquered	3
US3A	Polished Brass, Unlacquered	3A
US4	Satin Brass, Lacquered	4
US5A	Antique Bronze, Unlacquered	5A
US10B	Black, Oil-Rubbed, Lacquered	10B
US14	Polished Nickel Plated, Lacquered	i 14
US15	Satin Nickel Plated, Lacquered	15
US26	Polished Chrome Plated	26
US26D	Satin Chrome Plated	26D
US32D	Satin Stainless Steel	32D
PBL	PVD Black	PBL
PDB	PVD Dark Bronze	PDB
PSG	PVD Satin Gold	PSG
PTT	PVD Titanium	PTT

How to Order OMNIA + ☐ level Products **EXAMPLE of SMART AUXILIARY DEADBOLT:** Door Thickness **Finish** Design **Function** TRADDB 134 26 Supplied with Level Auxiliary Deadbolt Item # A = Key Outside x $134 = 1\frac{3}{4}$ " Thick See Finish Codes Bolt Smart Lock Turnpièce Inside (Above) Product order number would be L.TRADDBA134.26 **EXAMPLE of SMART DEADBOLT LOCKSETS WITH PLATE:** Plate Design **Function** Backset Strike Finish 943 238 12 15 D 11 = 11000 Plate See Finish Supplied Deadbolt Lever or A = Key Outside x $238 = 2^{3}/8$ " Backset T = "T" Strike with Level 12= 12000 Plate Knob Item # Turnpièce Inside F = Full Lip Strike $234 = 2^{3}/_{4}$ " Backset Codes Bolt Smart (Above) Lock Product order number would be L.D12943A.238T.15 **EXAMPLE of SMART ENTRANCE HANDLESET:** Design **Function** Design Backset Strike Finish URBAN 12 238 32D Supplied Metro or Urban F = Panic Proof Lever Item # T = "T" StrikeSee Finish 238 = 2 3/8" Backset with Level Entry (Key Outside x Turnpiece Inside) F = Full Lip Strike Codes $234 = 2^{3}/_{4}$ " Backset **Bolt Smart** (Above) Lock Product order number would be L.URBAN.F12.238F.32D

Narrow Backset Locksets **Product Data**

Narrow Backset Mortise **Lock Specifications**

• Backsets: Available with two backset options - 11/2" and 2". Other backset options available. Please specify when ordering. Available for levers only. Specify right hand or left hand. Not reversible.

Solid Brass Backplates


60000 Series 11⁷/₁₆" x 1³/₄" x ¹/₄" proj. 64000 Series 81/4" x 2" x 1/4" proj. 65000 Series 9¹/₂" x 1⁹/₁₆" x ³/₈" proj.


Case: Heavy gauge plated steel.

- $-1^{1}/_{2}$ " b.s.: $6^{1}/_{16}$ " x $2^{5}/_{16}$ " x $^{3}/_{4}$ "
- -2" b.s.: $6^{1}/_{16}$ " x $2^{13}/_{16}$ " x $3^{1}/_{4}$ "

Accommodates thru-bolted roses.

- Front: Adjustable armored steel front, with 8" x 11/4" solid brass faceplate for both bodies. Finished to match trim.
- Latchbolt: Solid brass with 1/2" x 1" x ¹/₂" throw.
- Deadbolt: Solid brass with 1/2" x 3/4" x 1" throw.
- Strike: Solid brass curved lip strike. $4^{7/8}$ " x $1^{1/4}$ " x lip $1^{1/4}$ " to center. Finished to match trim. Dust box





Extended lip strikes are available.

supplied as standard. Extended lip strikes available.

 Cylinder: Solid brass from bar stock. Made in USA. Schlage® "C" keyway supplied as a standard, with two OMNIA nickel silver keys. When applicable, cylinder collars are supplied with compression spring.

Available on special order in a variety of keyways and key combinations.


• **Keving:** Specify Keyed Alike (KA) when needed. Master / Grand / Construction Keying available at additional cost.

Functions

B - Entry


Shipped Standard

Latchbolt by lever either side. Deadbolt by key outside and turnpiece inside. No locking rocker switch; hubs always operable.




A - Single Cylinder

Latchbolt by lever either side except when outside lever is locked by the rocker switch in the front; then by key outside, lever inside. Deadbolt by key outside and turnpiece inside.




L - Privacy

Latchbolt by lever either side. Deadbolt by turnpiece inside and emergency key outside.




BAC - Entry Double Cylinder

Latchbolt by lever either side. Deadbolt by key either side. No locking rocker switch; hubs always operable.




AC - Double Cylinder

Latchbolt by lever either side except when the outside lever is locked by the rocker switch in the front; then by key outside, lever inside. Deadbolt by key either side.



N - Passage

Latchbolt by lever either side



How to Order Narrow Backset Locksets

Plate **6**0

EXAMPLE:

Design 31 Lever Item #

Function See Function

Codes Above

Backset 15 15 = 1 ½" Backset

20 = 2 " Backset

Handing L = Left-Handed R = Right-Handed

Finish See Finish Codes

(Page 106)*

ACTIVE

*See individual product entries for available finishes.

Product order number would be 60231A15L1 or 60231SD00L1 for a single dummy.

Pocket Door Hardware Product Data

(For Items 7012, 7035, 7036, 7037 and 7039)

Pocket Door Lockset Specifications

- Backset: 21/2"
- For Door Thickness: 13/4" thick as a standard, adjustable for 13/8" thick. For doors thicker than 21/4", contact customer service for availability and additional cost. (7012 can only be used on 13/4" thick doors.)
- Case: 1130/L (Privacy) and 1330/PD (Pair Dummy): 6³/₄" high x 3 ⁹/₁₆" deep. 1230/N (Passage): 3 ⁷/₈" high x 3 ⁷/₁₆" deep. Stamped from heavy wrought steel with zinc dichromate finish for corrosion resistance.
- Front: Armored steel front adjustable for beveled doors, with an 8" x 1" solid brass faceplate. (1230/N: 5½" x 1" solid brass faceplate.) Finished to match trim.
- Deadbolt: 1/2" thick x 11/4" high x 1" throw, stainless steel, finished with US32D or PVD US4.
- Pull: 1/2" thick x 2" high x 11/4" throw, stainless steel, finished with US32D or PVD US4. Push button ejected with spring assistance.
- Strike: Stainless steel for US32D or brass and plated finish to match trim. Black plastic dust box supplied as a standard.
- Cylinder: Solid brass from bar stock, Schlage® "C" keyway with two OMNIA nickel silver keys.

ALL MOUNTING SCREWS ARE SUPPLIED WITH SETS.

Functions

- L Privacy: Flushcups (2) with emergency release outside x thumbturn inside, and includes lockbody
- A Entry: Flushcups (2) with cylinder outside x thumbturn inside, and includes lockbody. (13/4" minimum door thickness)
- N Passage: Flushcups (2) blank, and includes lockbody
- PD Pair Dummy: Flushcups (2) blank, and includes lockbody
- 0 Flushcup Only: Flushcup (1) blank

Note: **Edge Pull 7653** is also available. See page **75**.

Function Codes

/0 after style # = Flushcup only

/N after style # = Lockbody with two flushcups

/L after style # = Lockbody with turnpiece and emergency release

/A after style # = Lockbody with turnpiece

and keyed entry

= Lockbody with two flushcups **/PD** after style #

> See our website for all lockbody dimensions and schematics.

FINISH CODES



Polished Brass, Lacquered



3A Polished Brass, Unlacquered



US4 Satin Brass, Lacquered



Antique Brass. Lacquered



10B Black, Oil-Rubbed, Lacquered



14 Polished Nickel Plated, Lacquered



Satin Nickel Plated, Lacquered



26 Polished Chrome Plated



26D Satin Chrome Plated



32D Stainless Steel (Only available

7012 model is only available in US32D.

How to Order Pocket Door Hardware

EXAMPLE:

(Only for: 7012, 7035, 7036, 7037 and 7039)

Design 7035 Item #

Function

See Function Codes (Above) **Finish**

26 See Finish Codes (Above) Product order number would be 7035/L.26


Multipoint Trim Product Data


FOR PRODUCTS SHOWN ON PAGES 77-80.

American Cylinder Above (ACA)

Solid Brass Designs 71000ACA 72000ACA 74000ACA









American Cylinder Below (ACB)







71000 & 72000 Dimensions





74000 Dimensions

European Cylinder Below (ECB)









Turnpiece & Cylinder Components

American Cylinder Above (ACA) & American Cylinder Below (ACB)



No. 103 Ships standard with 71000 plate for American Cylinder.



No. 102 Ships standard with 72000 or 74000 plate for American Cylinder.



No. 6000 Ships standard with 73000 plate for American Cylinder.



No. 1599 American Cylinder



American Cylinder Collar MPCH/RA (Rect.) MPCH/OA (Oval)

European Cylinder Below (ECB)



No. 805/41 **European Cylinder** Turnpiece only for patio function

(973) 239-7272 • www.OMNIAindustries.com



No. 805/82 **European Cylinder** Turnpiece cylinder by key for entrance



European Cylinder Collar MPCH/RP (Rect.) MPCH/OP (Oval)

Multipoint Trim Product Data

Functions


ENTRY - ACA or ACB, with American Cylinder

Set includes:

- (2) Backplates
- (1) Cylinder Collar mounted 35/8" (92 mm) c.c. above or below the lever handles
- (2) Levers with spindles
- (1) American Cylinder with a lazy tailpiece
- (1) Turnpiece
- (2) Thru-bolt screws

PAT – Patio Function for ACA or ACB

- (2) Backplates
- (1) Turnpiece
- (2) Levers with spindles
- (2) Thru-bolt screws




ENTRY - ECB, with European (Profile) Cylinder

Set includes:


- (2) Backplates
- (2) Cylinder Collars mounted 35/8" (92 mm) c.c. below the lever handles
- (1) European Profile Cylinder with key outside, turnpièce inside
- (2) Thru-bolt screws
- (2) Levers with spindles

PAT - Patio Function for ECB

- (2) Backplates
- (1) Turnpiece Cylinder
- (2) Levers with spindles
- (2) Thru-bolt screws



Active levers both sides. Key outside, by turnpiece inside.




Active levers both sides. Turnpiece inside.

PDA - Pair Dummy Active for ACA, ACB or ECB

Set includes:

- (2) Backplates
- (2) Levers with spindles
- (2) Thru-bolt screws



PD - Pair Dummy for ACA, ACB or ECB

Set includes:

- (2) Backplates
- (2) Levers with spindles
- (2) Thru-bolt screws





*Drawing shows ACA only. Also available as ACB or ECB.

Thru-Bolting Mounting Screws are in a fixed location and cannot be modified. In some cases, new thru-bolting holes are required to be drilled at 8½" (216 mm) c.c. (9½" (242 mm) c.c. for 73000 plate). In most cases, our backplates will cover any existing thru-bolting holes. Our trim is intended to replace standard trim shipped by most door manufacturers.

Backplate Dimensions

71000 SERIES

95/8" (244 mm) Long 13/4" (44 mm) Wide

1/2" (12.5 mm) Projection $8^{1}/_{2}$ " (216 mm) c.c. Thru-Bolting **72000 SERIES**

9¹³/₁₆" (250 mm) Long 2" (50 mm) Wide


1/2" (12.5 mm) Projection $8^{1}/_{2}$ " (216 mm) c.c. Thru-Bolting **73000 SERIES**

11" (280 mm) Long 15/8" (40 mm) Wide

⁷/₁₆" (10 mm) Projection 9¹/₂" (242 mm) c.c. Thru-Bolting **74000 SERIES**

10⁵/₈" (270 mm) Long 21/8" (55 mm) Wide 3/8" (19 mm) Projection

 $8^3/4$ " (222 mm) c.c. Thru-Bolting



Entrance Handlesets Product Data (Brass)

Solid Brass Mortise **Lock Handleset Specifications**

- Backset: 21/2" or 23/4". (21/2" b.s. shipped standard.)
- Doors: 3⁷/₈" minimum stile for $2^{1}/2^{1}$ b.s. lock. $4^{3}/8^{1}$ minimum stile for $2^{3}/_{4}$ " b.s. lock. $1^{3}/_{4}$ " thick as a standard. For doors over 13/4" thick, specify door thickness.
- Case: 2¹/₂" b.s.: 3⁵/₈" x 6¹/₁₆" x ¹⁵/₁₆" $2^{3}/_{4}$ " b.s.: $3^{15}/_{16}$ " x $6^{1}/_{16}$ " x $^{15}/_{16}$ " Heavy wrought steel with zinc dichromate finish for corrosion resistance.
- Front: Armored steel front, adjustable for beveled conditions. With $8" \times 1^{1}/_{4}"$ solid brass faceplate. Finished to match trim.
- Latchbolt: 1" x 5/8" x 3/4" full throw. Solid brass with anti-friction design. US4 finish only.
- **Deadbolt:** 13/16" x 9/16" x 1" full throw. Solid brass, one-piece component with saw-proof insert. US4 finish only.
- · Springs: High carbon steel.
- Strike: Solid brass curved lip strike. $4^{7}/8$ " x $1^{1}/4$ " x lip $1^{1}/4$ " to center. Finished to match trim. Dust box shipped with set.

Backplate Dimensions

Amagansett

Exterior: 21" x 27/8" x 3/8" Interior: 13⁷/₈" x 2⁷/₈" x ³/₈"

Georgica

Exterior: 221/8" x 3" x 3/8" Interior: 14" x 3" x 3/8"

Conforms to requirements of ANSI / BHMA A156.13 Series 1000.




- Hand: Fully reversible. When ordering specify right hand or left hand, and if reverse bevel is needed.
- Cylinder: Solid brass from bar stock. Made in USA. Supplied with Schlage® "C" keyway as a standard and two OMNIA nickel silver keys. Ship standard Keyed Different (KD). Specify Keyed Alike (KA) when needed. Special keying available upon request.
- **Hubsize:** .290" (7 mm or ³/₈") hub. Broached on the square position. Hub is on one side of the lock only.

Lock Function Options

• A - Standard: Latchbolt operates by knob or lever inside, thumbpiece outside except when outside trim is locked by rocker switch; then opens by key outside, by knob or lever inside. Deadbolt activated by key outside and turnpiece inside.





• F - Panic Proof:


Latchbolt operates by knob or lever inside, thumbpiece outside, except when outside trim is locked by rocker switch. Deadbolt activated by key outside and turnpiece inside.

Turning of inside knob or lever will retract both deadbolt and latchbolt at the same time.



Dummy applications not recommended for commercial use.

DRAWINGS NOT TO SCALE



Same strike supplied with both 21/2" and 23/4" b.s. locks.

Entrance Handlesets Product Data (Brass)

FINISH CODES

FINISH	DESCRIPTION	ORDERING CODE
US3	Polished Brass, Lacquered	1
US15	Satin Nickel Plated, Lacquered	15
SB	Shaded Bronze, Lacquered	4
BAS	Siena Brass, Lacquered	BAS
BPS	Venetian Nickel, Lacquered	BPS
D	Florentine Brass, Lacquered	D
ETR	Etruscan Bronze, Lacquered	ETR

How to Order Brass Entrance Handlesets

EXAMPLE: ACTIVE

Set Name GEORGICA

Amagansett or Georgica

Function

See Function Codes (Page 113) Interior Trim 059

See 3-Digit Interior Trim Option (Page 83)

Handing R

L = Left-Handed R = Right-Handed

Finish BAS

See Finish Codes (Above)

Product order number would be GEORGICA.A059RBAS or GEORGICA.PD059RBAS for a pair dummy.

2½" backset shipped standard. Specify 2¾" backset when ordering.

For doors over 13/4" thick, please specify door thickness.

For doors 2" thick or thicker, please call OMNIA for additional charges that may apply.

Deadbolt Handlesets Product Data (Stainless Steel Metro & Urban Tubular Sets)

Available in two backsets - 23/8" or 23/8" or 23/8" backset shipped standard). Please specify when ordering.

Features

- · Our stainless steel tubular deadbolt handlesets each consist of a set of exterior trim. lever interior trim as selected, extra heavy duty tubular latch designed for levers and spindle, deadbolt assembly, cylinder, all necessary mounting screws and template.
- Backset: Available with two backset options - 23/8" or 23/4" (23/8" backset shipped standard). Please specify when ordering.

Lock & Trim Functions

- F Panic Proof: Latchbolt operates by knob or lever inside, thumbpiece outside except when outside trim is locked by rocker switch. Deadbolt activated by key outside and turnpiece inside. Turning of inside knob or lever will retract both deadbolt and latchbolt at the same time.
- PD Pair Dummy: Dummy trim is non-operating and is mounted on the inside and outside of the door. Shipped pre-assembled.
- SDE Single Dummy Exterior: Dummy trim is non-operating and is mounted on the outside of the door. Thumbpiece is also nonoperating. Shipped pre-assembled.
- SDI Single Dummy Interior: Dummy trim is non-operating and is mounted on the inside of the door. Shipped pre-assembled.

FINISH CODES

FINISH	DESCRIPTION	CODE
US32D	Satin Stainless Steel	32D
PBL*	PVD Black	PBL
PDB*	PVD Dark Bronze	PDB
PSG*	PVD Satin Gold	PSG
PTT*	PVD Titanium	PTT

^{*}Only available for Urban

Metro Dimensions


5¹/₂" center to center Exterior (Top Plate) & Interior: 10¹/₄" x 2⁹/₁₆" x ⁷/₁₆"

Exterior (Bottom Rose): 21/16" dia. Overall Exterior: $16^{7}/_{8}$ " length x $3^{5}/_{16}$ " proj. Overall Interior: 10¹/₄" length x 2⁷/₈" proj.

Urban Dimensions

5¹/₂" center to center Exterior (Top Plate) & Interior: $10^{1}/_{2}$ " x $2^{1}/_{2}$ " x $^{7}/_{16}$ " Exterior (Bottom Rose): 2" square

Overall Exterior: 163/4" length x 23/8" proj. Overall Interior: $10^{1}/_{2}$ " length x $2^{5}/_{8}$ " proj.



How to Order Deadbolt Handlesets

EXAMPLE: ACTIVE Design **Function** Interior Trim **Backset** Finish URBAN 32D 012 38 See Finish Urban or Metro See Function 3-Diait Interior $38 = 2\frac{3}{8}$ " Backset Trim Option (See Pages 84-85) Codes Above $34 = 2\frac{3}{4}$ " Backset Codes (Above)

Product order number would be URBAN.F012.38.32D or URBAN.PD012.32D for a pair dummy.

For doors over 13/4" thick, please specify door thickness.

For doors 2" thick or thicker, please call **OMNIA** for additional charges that may apply.

FOR PRODUCTS SHOWN ON PAGES 87-88.

Hinges Product Data

(For Standard Weight Hinges)

Available in standard weight with either ball or plain bearings to satisfy most applications. The hinges are all manufactured from solid brass extrusions, providing higher degrees of strength and tolerance.

General Information

- All hinges are shipped assembled with pins installed.
- Standard weight hinges are available in ball bearing or plain bearing.
- · Doors equipped with closers should always have ball bearing hinges.
- Mounting templates are available. Do not use the hinges to make cut outs on metal doors and frames.
- Hinges are supplied with wood screws standard. Machine screws are available upon request.

Suggested Location of Hinges

- Top Hinge: 5" from jamb rabbet to top edge of hinge barrel.
- Bottom Hinge: 10" from bottom edge of hinge barrel to finished floor.
- Middle Hinge: Centered between the top and bottom hinges.

The above are U.S. standard procedures.

How to Determine Proper Hinge Height

Thickness of Door	Width <u>of Door</u>	Height <u>of Hinges</u>
1 ³/s"	to 32"	31/2"
1 ³/s"	Over 32" to 37"	4"
1 ³/₄"	to 36"	4" or 4½"
1 3/4"	Over 36" to 48"	41/2"
2"-21/2"	Over 42"	41/2"*

^{*}Minimum 4 hinges recommended.

Number of Hinges Required on Doors

Hinges Required
2 Hinges
3 Hinges
4 Hinges

Finial Options

All finials, both top and bottom, screw in separately into the barrel. Hinges are shipped with button tips as standard on all orders. Pairs of acorn, ball, crown, steeple and urn finials are available at an additional cost. See page 88 for item numbers and prices.


Use the abbreviations below to specify your finial choice.

<u>STYLE</u>	FINIAL CODE		
Button	BTN	Shipped standard	
Acorn	ACN		
Ball	BAL		
Crown	CRN		
Steeple	STP		
Urn	URN		

FINISH CODES

OMNIA hinges are available in all of our popular finishes. Use the symbols below to specify the finish.

FINISH	DESCRIPTION	CODE
US3	Polished Brass, Lacquered	3
US3A	Polished Brass, Unlacquered	3A
US4	Satin Brass, Lacquered	4
US5A	Antique Bronze, Unlacquered	5A
US10B	Black, Oil-Rubbed, Lacquered	10B
US14	Polished Nickel Plated, Lacquered	14
US15	Satin Nickel Plated, Lacquered	15
US26	Polished Chrome Plated	26
US26D	Satin Chrome Plated	26D
SB	Shaded Bronze, Lacquered	SB



Lock / Latch Components

TUBULAR LATCHES (with Faceplates)

Passage Sets

Privacy Sets

Product Code	Description	Hub Size	Price	Product Code	Description	Hub Size	Price
105KPA38	23/4" b.s. Passage knob latch	7 mm hub	\$50	106KPR38	23/8" b.s. Privacy knob latch	7 mm hub	\$55
105LPA38	2¾" b.s. Passage lever latch	7 mm hub	\$50	106LPR38	23/8" b.s. Privacy lever latch	7 mm hub	\$55
107LPA38	23/4" b.s. Passage lever latch	8 mm hub	\$50	108LPR38	23/8" b.s. Privacy lever latch	8 mm hub	\$55
105KPA34	23/4" b.s. Passage knob latch	7 mm hub	\$50	106KPR34	23/4" b.s. Privacy knob latch	7 mm hub	\$55
105LPA34	23/4" b.s. Passage lever latch	7 mm hub	\$50	106LPR34	23/4" b.s. Privacy lever latch	7 mm hub	\$55
107LPA34	23/4" b.s. Passage lever latch	8 mm hub	\$50	108LPR34	23/4" b.s. Privacy lever latch	8 mm hub	\$55

STRIKES & FACEPLATES (Specify Function)

Product Code	Description	Price
009	Faceplate for tubular latch	\$10
012	Faceplate for 21/2" & 23/4" b.s. mortise lock. Specify function	\$30
013	"T" strike for tubular latch	\$6
014	"Full Lip" strike for tubular latch	\$6
015	Strike for 21/2" & 23/4" b.s. mortise lock. Specify function	\$35
015/A-EL	Strike with 1½" extended lip for 2½" & 2¾" b.s. mortise lock	\$64
015/A-EL2	Strike with 2" extended lip for 21/2" & 23/4" b.s. mortise lock	\$64
019	Strike for tubular latch, 4 1/6" ASA	\$30

SURFACE MOUNTED ROSES

Product Code	Rose Type	Description	Price
592/45	Traditional rose	1¾" dia.	\$25
592/45D	Traditional rose	1¾" dia dummy	\$36
592/55	Traditional rose	23/16" dia.	\$28
592/55D	Traditional rose	23/16" dia dummy	\$40
592B/45	Beaded rose	1¾" dia.	\$26
592B/45D	Beaded rose	1¾" dia dummy	\$37
592B/55	Beaded rose	2¾6" dia.	\$28
592B/55D	Beaded rose	23/16" dia dummy	\$40
597/45	Modern rose	1¾" dia.	\$26
597/45D	Modern rose	1¾" dia dummy	\$41
836/00	Rectangular rose	2" h x 15/8" w	\$33

TURNPIECES WITH ROSES

Product Code	Description	Price
065/00	Beaded turnpiece 11/4" x 3/4"	\$35
068/05	Ornate turnpiece 17/16" x 13/16"	\$36
102/04	Modern turnpiece 11/2" x 1/4"	\$42
102/624	Modern turnpiece w/ Square rose 11/2" x 1/4"	\$49
103/04	Modern turnpiece 13/4" x 1/2"	\$40
104/04	Hamptons turnpiece 15/16" x 13/16"	\$93
105/04	Classico turnpiece 15/16" x 13/16"	\$93
9163/35TP	Traditional turnpiece 13/8" x 13/16"	\$48

CASSETTES

Product Code	Description	Price
401/PA62.32D	Stainless Steel Cassette including rose cover (Passage)	\$26
401S/PA62.32D	Stainless Steel Cassette including square rose cover (Passage)	\$52
402/PR62.32D	Stainless Steel Cassette including rose cover (Privacy)	\$26
402S/PR62.32D	Stainless Steel Cassette including square rose cover (Privacy)	\$52
981	Small Cassette Adapter Levers 7 mm	\$27
981/8	Small Cassette Adapter Levers 8 mm	\$27
982/LP	Large Cassette Adapter Low Profile (Standard) Levers 7 mm	\$27
982/LP-8	Large Cassette Adapter Low Profile Levers 8 mm	\$27
982/LP-K	Large Cassette Adapter Low Profile (Standard) Knobs 7 mm	\$27

Suggested retail prices effective February 1, 2023.

Lock / Latch Components

MORTISE LOCK BODIES

(with Faceplate & Strike)

•	•		
Product Code	Description	Function	Price
001500A*	21/2" b.s. handle set x knob	"A" function	\$328
001500EW*	21/2" b.s. handle set x knob	"EW" function	\$328
001500F*	21/2" b.s. handle set x knob	"F" function	\$328
001500J*	2½" b.s. handle set x knob	"J" function	\$328
001600A*	21/2" b.s. handle set x lever	"A" function	\$328
001600EW*	21/2" b.s. handle set x lever	"EW" function	\$328
001600F*	21/2" b.s. handle set x lever	"F" function	\$328
001600J*	21/2" b.s. handle set x lever	"J" function	\$328
001700A*	2½" b.s. knob x knob	"A" function	\$328
001700EW*	2½" b.s. knob x knob	"EW" function	\$328
001700F*	2½" b.s. knob x knob	"F" function	\$328
001700J*	2½" b.s. knob x knob	"J" function	\$328
001700L*	2½" b.s. knob x knob	"L" function	\$328
001700N*	2½" b.s. knob x knob	"N" function	\$328
001800A*	21/2" b.s. lever x lever	"A" function	\$328
001800EW*	21/2" b.s. lever x lever	"EW" function	\$328
001800F*	21/2" b.s. lever x lever	"F" function	\$328
001800J*	21/2" b.s. lever x lever	"J" function	\$328
001800L*	21/2" b.s. lever x lever	"L" function	\$328
001800N*	21/2" b.s. lever x lever	"N" function	\$328
002200A*	2¾" b.s. knob x knob	"A" function	\$328
002200EW*	2¾" b.s. knob x knob	"EW" function	\$328
002200F*	2¾" b.s. knob x knob	"F" function	\$328
002200J*	2¾" b.s. knob x knob	"J" function	\$328
002200L*	2¾" b.s. knob x knob	"L" function	\$328
002200N*	23/4" b.s. lever x lever	"N" function	\$328
002300A*	23/4" b.s. lever x lever	"A" function	\$328
002300EW*	2¾" b.s. lever x lever	"EW" function	\$328
002300F*	2¾" b.s. lever x lever	"F" function	\$328
002300J*	2¾" b.s. lever x lever	"J" function	\$328
002300L*	2¾" b.s. lever x lever	"L" function	\$328
002300N*	2¾" b.s. lever x lever	"N" function	\$328
008400A	1½" b.s. lever x lever	"A" function	\$615
008400B	1½" b.s. lever x lever	"B" function	\$545
008400N	1½" b.s. lever x lever	"N" function	\$531
008400L	1½" b.s. lever x lever	"L" function	\$545
008500A	2" b.s. lever x lever	"A" function	\$615
008500B	2" b.s. lever x lever	"B" function	\$545
008500N	2" b.s. lever x lever	"N" function	\$531
008500L	2" b.s. lever x lever	"L" function	\$545
+51 = 40= 05=01			

MORTISE CYLINDERS FOR 21/2" & 23/4" B.S. LOCKS[†]

Product Code	Size	Price
801/00	¹⁵ / ₁₆ "	\$55
801/01	1"	\$55
801/02	11//8"	\$55
801/03	11/4"	\$55
801/04	11/2"	\$51
801/05	13/4"	\$197
801/06	2"	\$214

- †Specify the following:
- Keyed Alike or Keyed Different
- Mortise or Deadbolt
- Function

*PLEASE SPECIFY HAND WHEN ORDERING

Suggested retail prices effective February 1, 2023.

Spindle / Set Screws / Washers

SPINDLES

Product Code	Description	Price
DS129/7-1"	7 mm dummy spindle for plates	\$11
DS129/8-1"	8 mm dummy spindle for plates	\$11
DSP-1SM	7 mm dummy subplate and spindle for small format roses	\$7
006HS/2.625"	25/8" long mortise handle set spindle	\$11
007/3	3" 7 mm square spindle for passage	\$7
007/3-1/2	3½" 7 mm square spindle for passage	\$7
007/4	4" 7 mm square spindle for passage	\$6
007/4-1/2	4½" 7 mm square spindle for passage	\$6
007/5	5" 7 mm square spindle for passage	\$7
007X8MS/50	7 mm x 8 mm spindle for mortise or multi-point 7 mm lever	\$10
007X8MS/50 w/ conical spring	7 mm x 8 mm x 50 mm spindle w/ spring for mortise locks 7 mm lever to 8 mm hub	\$10
007X8MS/635 w/ conical spring	7 mm x 8 mm x 63.5 mm spindle w/ spring for mortise locks 7 mm lever to 8 mm hub	\$22
007X8MS/80 w/ conical spring	7 mm x 8 mm x 80 mm spindle w/ spring for mortise locks 7 mm lever to 8 mm hub	\$25
007X8MS/110 w/ conical spring	7 mm x 8 mm x 110 mm spindle w/ spring for mortise locks 7 mm lever to 8 mm hub	\$27
007SW/3	3" 7 mm swivel spindle for privacy	\$8
007SW/3.25	31/4" 7 mm swivel spindle for privacy	\$8
007SW/3.5	3½" 7 mm swivel spindle for privacy	\$8
007SW/3.75	3³¼" 7 mm swivel spindle for privacy	\$8
007SW/4	4" 7 mm swivel spindle for privacy	\$7
007SW/4.25	41/4" 7 mm swivel spindle for privacy	\$7
007SW/4.5	4½" 7 mm swivel spindle for privacy	\$7
007SW/4.75	43/4" 7 mm swivel spindle for privacy	\$8
007SW/5	5" 7 mm swivel spindle for privacy	\$8
007SW/5.5	5½" 7 mm swivel spindle for privacy	\$8
008MS/49	49 mm long x 8 mm sq. half spindle w/ conical spring for mortise 8 mm lever	\$9
008MS/70	70 mm long x 8 mm sq. half spindle w/ conical spring for mortise 8 mm lever	\$13
008/3-1/2	31/2" 8 mm solid spindle for passage	\$7
008/4	4" 8 mm solid spindle for passage	\$7
008/4-1/2	4½" 8 mm solid spindle for passage	\$7
008SW/3.5	3½" 8 mm solid spindle for privacy	\$8
008SW/4	4" 8 mm solid spindle for privacy	\$8
008SW/4.5	4½" 8 mm solid spindle for privacy	\$8
008SW/5	5" 8 mm solid spindle for privacy	\$8

Price

SET SCREWS

Description

Product Code

002.02.GP	74° long 74° - 20 stainless steel cone point set screw	\$2
TOOLS		
Product Code	Description	Price
HX5/64	5/64" hex key wrench for deadbolts	\$2
HX1/8	1/8" hex key wrench for door trim	\$2
HX1/8TH	1/8" hex key wrench w/plastic "T" handle	\$35

NYLON WASHERS FOR KNOBS & LEVERS

For Inactive/Dummy Sets (00, 67, 50)

Product Code	Description	Price
027-GLD	Gold	\$4
027-SLVR	Silver	\$4
027-BLK	Black	\$4

For Active Sets (00, 67, 50)

Product Code	Description	Pric
027L-GLD	Gold	\$4
027L-SLVR	Silver	\$4
027L-BLK	Black	\$4

Suggested retail prices effective February 1, 2023.

OMNIA TERMS & CONDITIONS OF SALE

(as of February 1, 2023)

WARRANTIES

Limited Mechanical Warranty

OMNIA Industries, Inc. ("OMNIA") offers to the original owner a Limited Warranty that all OMNIA products shall be free of mechanical abnormality for the duration that the original owner inhabits the residence in which the product was originally installed.

Exclusions

Any OMNIA product having an abnormality due to improper installation, forced entry, failure to exercise normal maintenance or against the consequences of uses for which our products were not designed is not covered by this warranty. Additionally, if an OMNIA product or component part is used with a product that is not ours or a component part (such as an OMNIA lock or latch with non-OMNIA knobs, levers, escutcheons and roses), any warranty shall be null and void. Warranty does not cover normal wear and tear.

FINISH WARRANTIES (Includes General Maintenance)

Stainless Steel

OMNIA warrants its stainless steel finish shall be free from abnormalities in material and workmanship from tarnishing or rusting for either five (5) years from date of purchase for interior use or one (1) year from the date of purchase on exterior doors only for the duration that the original owner inhabits the residence in which the product was originally installed. Exposure to certain chemical or environmental conditions may promote surface oxidation. Please be aware that this is not an abnormality in the stainless steel but a reaction on the surface of the finish to the chemical environment which can be removed with a stainless steel polish or an abrasive pad. Surface oxidation is not considered an abnormality in the product.

Stainless Steel PVD

The OMNIA PVD finishes use an advanced finishing technology (Physical Vapor Deposition) to create a finish highly resistant to the effects of weather and normal use. For OMNIA products purchased with PVD finishes, OMNIA warrants the finish shall be free from abnormalities in materials and workmanship from tarnishing, flaking or pitting for the **Lifetime** of the applicable product for the duration that the original owner inhabits the residence in which the product was originally installed. Although the OMNIA PVD finishes are highly resistant to the effects of weather and normal use, they do require periodic maintenance. A build-up may occur if it is not performed, which may create a haze or darker look to the finish. This is neither tarnish nor an abnormality in the PVD finish. OMNIA PVD finishes can be maintained simply by wiping with a soft cloth and glass cleaner; or as an alternative, a non-abrasive metal polish which can be purchased at any hardware store. Rubbing alcohol may also be used to clean the surface of PVD finishes. DO NOT use metal polishes that contain abrasives.

Remaining Finishes

OMNIA warrants its finishes (excluding unlacquered finishes, stainless steel and

stainless steel PVD) shall be free from abnormalities in materials and workmanship from tarnishing, flaking or pitting for either five (5) years from date of purchase for interior use, or one (1) year from the date of purchase for use on exterior doors only for the duration that the original owner inhabits the residence in which the product was originally installed. Only use a damp cloth to clean surface of finish to remove dirt and grime. DO NOT use household cleaners and/or chemicals.

Exclusions

Any OMNIA product having an abnormality due to neglect, misuse, abuse or unreasonable or extraordinary use or lack of normal maintenance is not covered by this warranty. In addition, any OMNIA product having an abnormality due to use of paints, solvents or other chemicals is not covered by this warranty. Discontinued products will not be covered by any warranty. Finishes will not be warranted for any OMNIA product installed on an exterior metal door.

FOR ALL WARRANTIES, PLEASE NOTE: OMNIA is not responsible for labor charges related to installation, repair or replacement of any product under this warranty. OMNIA's liability under this warranty shall not exceed the sale price of the product.

PRICES

Prices are subject to change without notice. Invoices will reflect prices in effect at the time of shipment. OMNIA is not responsible for errors and/or omissions which may appear in any printed material. Orders held by OMNIA because of credit status may be repriced to pricing in effect on date of order release by OMNIA Credit Department.

RETURNED GOODS

Products must be returned within 60 days of original invoice date. There is a minimum 25% restock fee, plus a freight charge, for all unused and undamaged items returned in original condition. All returns must be accompanied with a completed Return Goods Form (RGF). Any return which exceeds \$1,000 net requires prior authorization. If a factory defect is claimed, please contact OMNIA for replacement or authorization. Any credit due will be determined upon inspection. Reordered or replacement materials will be billed when shipped. Returns will be credited after inspection and approval. All returns must be shipped freight prepaid. COD returns will be refused. Special order or discontinued items will not be accepted for return.

ORDERS & SPECIFICATIONS

OMNIA has the right to not accept orders in part or whole if the quantity, finishes or prices requested are not suitable. Packing, weights, measurements and designs are subject to change without notice. All special factory orders are non-cancelable, non-returnable and non-refundable.

ORDER CHANGES

If there are items not readily available, OMNIA will ship and backorder. Items temporarily out of stock will be backordered and so indicated on invoice. Backorders must be canceled prior to shipment of product. Orders canceled after shipment from OMNIA will incur freight charges and a 25% restocking charge. Address changes after shipment will incur freight charges.

DISCONTINUED ITEMS & D/O

OMNIA may discontinue product or alter specifications at any time without prior notification or obligation. D/O designates a product which will continue to be available as long as inventory remains, after which the product will be discontinued. This program is intended to help our customers anticipate future needs and to avoid bidding or taking orders on parts which may not be available in sufficient quantities when needed.

SHIPMENTS

Smaller orders, shipments destined outside the US borders, and all specially quoted contract orders are shipped FOB Cedar Grove, NJ. Cremone bolt orders do not qualify for prepaid shipments. Freight charges will apply to contract orders. Please refer to job quote. There will be a handling fee in addition to freight charges. (Drop ship orders incur a higher handling fee.) In certain instances, a fee for insurance coverage may be added. OMNIA will select the quickest and best routes available. Consignee assumes risk of loss or damage after shipments have been delivered to carrier. Claims must be filed with the transportation company. We cannot accept consignee or third party billing for any shipment.

OPEN ACCOUNTS

Established accounts will be maintained on open account terms as long as payments are kept current. New accounts must submit proper trade and bank references.

SAMPLE PROGRAM

Cabinet Hardware

Samples of cabinet pulls up to 6" and cabinet knobs up to 11/4" dia. are available free of charge with a \$10 shipping fee for each item ordered. A maximum of 3 samples can be ordered. If ordering more than one sample, the additional samples must all be different part numbers.

Door Hardware

Single dummy samples of door knobs and levers with a list price value up to \$75 are available free of charge with a \$20 shipping fee for each item ordered. For single dummy samples with a list price value of \$76 and over, there is a \$30 shipping fee for each item ordered.

For each sample ordered, you will receive a discount coupon in the amount of the shipping fee. For each \$100 list purchase made through an authorized OMNIA dealer, you may apply one discount coupon. Since there is no charge for the product samples themselves, they cannot be returned to OMNIA for product credit.

If you are interested in a sample of a product other than cabinet hardware or single dummies, please contact OMNIA for shipping costs.

An Authorized OMNIA dealer may request a complete Dealer Terms & Conditions by emailing info@OMNIAindustries.com.



In addition to the selection of latchsets and locksets shown in this catalog, OMNIA also offers beautifully crafted decorative cabinet hardware and architectural hardware. For a comprehensive view of all of our lines, please visit our website at:

www.OMNIAindustries.com







5 Cliffside Drive • Box 330 Cedar Grove, New Jersey 07009 Phone 973.239.7272 orders@OMNIAindustries.com www.OMNIAindustries.com

